

NAUTILUS

Lines and braids.

NAUTILUS

ECOLOGY NEW

Ecology - a new monofilament carp line from Nautilus. Its colour and modern colouring technology make it as inconspicuous as possible underwater, suited to day and night fishing, clear water and shallow water. It offers high strength and abrasion resistance, with low stretch and memory, while remaining soft and manageable on the spool. Ideal for both recreational carp fishing and tournaments and competitions.



Code	Diameter, mm	Length, m	Test, kg	Colour
302 431	0,286	300	7,1	Camo
302 432	0,309	300	8,1	Camo
302 433	0,331	300	9,5	Camo
302 434	0,356	300	10,7	Camo
302 435	0,402	300	13,7	Camo
302 458	0,286	1200	7,1	Camo
302 459	0,309	1200	8,1	Camo
302 460	0,331	1200	9,5	Camo
302 461	0,356	1200	10,7	Camo

GLOBAL NEW

Global - a quality, affordable carp line. Available in two colours to suit different bottom types. Recommended for all types of fishing.



Code	Diameter, mm	Length, m	Test, kg	Colour
302 450	0,30	300	9,5	Green
302 451	0,32	300	10,8	Green
302 452	0,35	300	11,5	Green
302 453	0,40	300	14,7	Green
302 454	0,30	300	9,1	Brown
302 455	0,32	300	10,8	Brown
302 456	0,35	300	11,5	Brown
302 457	0,40	300	14,7	Brown

ENVI NEW

Envi - a range of modern carp lines from Nautilus in bright fluorescent colours. These provide maximum control when playing fish, especially after dark. The line offers high strength and reliability, enhanced abrasion resistance, low memory and UV resistance.



Code	Diameter, mm	Length, m	Test, kg	Colour
302 437	0,261	300	5,6	Fluoro Orange
302 438	0,286	300	7,1	Fluoro Orange
302 439	0,309	300	8,1	Fluoro Orange
302 440	0,331	300	9,5	Fluoro Orange
302 441	0,356	300	10,7	Fluoro Orange
302 442	0,402	300	13,7	Fluoro Orange
302 443	0,261	300	5,6	Fluoro Green
302 444	0,286	300	7,1	Fluoro Green
302 445	0,309	300	8,1	Fluoro Green
302 446	0,331	300	9,5	Fluoro Green
302 447	0,356	300	10,7	Fluoro Green
302 448	0,402	300	13,7	Fluoro Green



Code	Diameter, mm	Length, m	Test, kg	Colour
302 464	0,261	1200	5,6	Fluoro Orange
302 465	0,286	1200	7,1	Fluoro Orange
302 466	0,309	1200	8,1	Fluoro Orange
302 467	0,331	1200	9,5	Fluoro Orange
302 468	0,356	1200	10,7	Fluoro Orange
302 469	0,402	1200	13,7	Fluoro Orange
302 470	0,261	1200	5,6	Fluoro Green
302 471	0,286	1200	7,1	Fluoro Green
302 472	0,309	1200	8,1	Fluoro Green
302 473	0,331	1200	9,5	Fluoro Green
302 474	0,356	1200	10,7	Fluoro Green
302 475	0,402	1200	13,7	Fluoro Green



MATCH NEW

Math - a sinking monofilament line designed for match and Bolognese fishing. It offers low memory, excellent strength and an ultra-smooth surface.



Code	Diameter, mm	Length, m	Test, kg	Colour
302 483	0,160	150	2,5	Dark Black
302 484	0,180	150	3,5	Dark Black
302 485	0,200	150	4,2	Dark Black
302 486	0,220	150	4,6	Dark Black
302 487	0,250	150	5,9	Dark Black
302 488	0,280	150	7,1	Dark Black




FEEDER NEW

Feeder - a quality sinking monofilament line with low stretch and enhanced abrasion resistance, specifically suited to feeder fishing. A wide choice of diameters allows use in different conditions with any rod setup.



Code	Diameter, mm	Length, m	Test, kg	Colour
302 476	0,180	150	3,5	Dark Brown
302 477	0,200	150	4,2	Dark Brown
302 478	0,220	150	4,6	Dark Brown
302 479	0,250	150	5,9	Dark Brown
302 480	0,280	150	7,1	Dark Brown
302 481	0,300	150	8,4	Dark Brown



UNIVERSAL NEW

Universal - a range of quality, reliable lines suitable for various fishing conditions. Extremely versatile for use with different tackle and setups.



Code	Diameter, mm	Length, m	Test, kg	Colour
302 490	0,140	150	2,0	Transparent clean
302 491	0,160	150	2,5	Transparent clean
302 492	0,180	150	3,5	Transparent clean
302 493	0,200	150	4,2	Transparent clean
302 494	0,220	150	4,6	Transparent clean
302 495	0,250	150	5,9	Transparent clean
302 496	0,280	150	7,1	Transparent clean
302 497	0,300	150	8,3	Transparent clean
302 498	0,350	150	10,7	Transparent clean
302 499	0,400	150	13,7	Transparent clean



FLUOROCARBON NEW

Fluorocarbon - quality, versatile fluorocarbon with a very wide range of uses. Its light-refracting properties make it as inconspicuous as possible underwater. It offers very high abrasion resistance and minimal stretch. Ideal for leaders, shock leaders and other rig components.



Code	Diameter, mm	Length, m	Test, kg	Test, lb	Colour
302 595	0,148	30	1,5	3	Transparent clean
302 596	0,165	30	1,8	4	Transparent clean
302 597	0,181	30	2,2	5	Transparent clean
302 598	0,202	30	2,8	6	Transparent clean
302 599	0,231	30	3,7	8	Transparent clean
302 600	0,265	30	4,7	10	Transparent clean
302 601	0,286	30	5,4	12	Transparent clean
302 602	0,300	30	6,5	14	Transparent clean
302 603	0,330	30	7,7	17	Transparent clean
302 604	0,350	30	8,1	18	Transparent clean
302 605	0,370	30	9,2	20	Transparent clean



A broad range of affordable, popular fishing lines for different fishing methods and tackle.
Available in various colours, each with its own properties.



ALL ROUND NEW

Code	Diameter, mm	Length, m	Test, kg	Colour
302 527	0,140	100	3,4	Transparent clean
302 528	0,160	100	4,05	Transparent clean
302 529	0,180	100	4,9	Transparent clean
302 530	0,200	100	5,9	Transparent clean
302 531	0,220	100	7,4	Transparent clean
302 532	0,240	100	8,5	Transparent clean
302 533	0,260	100	9,4	Transparent clean
302 534	0,280	100	10,6	Transparent clean
302 535	0,300	100	11,7	Transparent clean
302 536	0,350	100	13,5	Transparent clean
302 537	0,400	100	17,1	Transparent clean



CATFISH 300m NEW

Code	Diameter, mm	Length, m	Test, kg	Colour
302 590	0,500	300	32,1	Dark Black
302 591	0,600	300	37	Dark Black
302 592	0,700	300	42	Dark Black
302 593	0,800	300	55	Dark Black
302 594	0,900	300	69	Dark Black



BOLO CRUCIAN CARP NEW

Code	Diameter, mm	Length, m	Test, kg	Colour
302 539	0,140	100	3,4	Transparent gray
302 540	0,160	100	4,05	Transparent gray
302 541	0,180	100	4,9	Transparent gray
302 542	0,200	100	5,9	Transparent gray
302 543	0,220	100	7,4	Transparent gray
302 544	0,240	100	8,5	Transparent gray
302 545	0,260	100	9,4	Transparent gray
302 546	0,280	100	10,6	Transparent gray
302 547	0,300	100	11,7	Transparent gray
302 548	0,350	100	13,5	Transparent gray
302 549	0,400	100	17,1	Transparent gray



CATFISH 100m NEW

Code	Diameter, mm	Length, m	Test, kg	Colour
302 584	0,300	100	11,47	Transparent black
302 585	0,350	100	13,5	Transparent black
302 586	0,400	100	17,1	Transparent black
302 587	0,450	100	26,2	Transparent black
302 588	0,500	100	32,1	Transparent black



BOLO ROACH NEW

Code	Diameter, mm	Length, m	Test, kg	Colour
302 574	0,140	100	3,4	Transparent blue
302 575	0,160	100	4,05	Transparent blue
302 576	0,180	100	4,9	Transparent blue
302 577	0,200	100	5,9	Transparent blue
302 578	0,220	100	7,4	Transparent blue
302 579	0,240	100	8,5	Transparent blue
302 580	0,260	100	9,4	Transparent blue
302 581	0,280	100	10,6	Transparent blue
302 582	0,300	100	11,7	Transparent blue



SPINNING PIKE NEW

Code	Diameter, mm	Length, m	Test, kg	Colour
302 551	0,140	100	3,4	Transparent yellow
302 552	0,160	100	4,05	Transparent yellow
302 553	0,180	100	4,9	Transparent yellow
302 554	0,200	100	5,9	Transparent yellow
302 555	0,220	100	7,4	Transparent yellow
302 556	0,240	100	8,5	Transparent yellow
302 557	0,260	100	9,4	Transparent yellow
302 558	0,280	100	10,6	Transparent yellow
302 559	0,300	100	11,7	Transparent yellow
302 560	0,350	100	13,5	Transparent yellow

FEEDER CARP NEW

Code	Diameter, mm	Length, m	Test, kg	Colour
302 562	0,140	100	3,4	Transparent brown
302 563	0,160	100	4,05	Transparent brown
302 564	0,180	100	4,9	Transparent brown
302 565	0,200	100	5,9	Transparent brown
302 566	0,220	100	7,4	Transparent brown
302 567	0,240	100	8,5	Transparent brown
302 568	0,260	100	9,4	Transparent brown
302 569	0,280	100	10,6	Transparent brown
302 570	0,300	100	11,7	Transparent brown
302 571	0,350	100	13,5	Transparent brown
302 572	0,400	100	17,1	Transparent brown



LEADER NEW

Leader - a new range of affordable hooklength line from Nautilus.



Code	Diameter, mm	Length, m	Test, kg	Colour
302 501	0,100	30	1,3	Transparent clean
302 502	0,120	30	1,6	Transparent clean
302 503	0,140	30	2,2	Transparent clean
302 504	0,160	30	2,7	Transparent clean


TORAY LEADER NEW

Toray leader - a top-class, premium hooklength line from leading Japanese manufacturer Toray. It offers all the best properties of quality Japanese fishing lines.



- High reliability and breaking strain.
- Accurate diameters.
- Softness and no memory.
- UV resistance.
- Long service and storage life.
- Convenient storage box.

Code	Diameter, mm	Length, m	Test, kg	Colour
302 515	0,081	30	0,89	Transparent clean
302 516	0,092	30	1,15	Transparent clean
302 517	0,102	30	1,65	Transparent clean
302 518	0,112	30	1,91	Transparent clean
302 519	0,121	30	2,22	Transparent clean
302 520	0,142	30	3,42	Transparent clean
302 521	0,161	30	4,15	Transparent clean



Leader ICE - a new range of affordable ice fishing line from Nautilus. Available in two colours. The bright colour stands out against ice and snow, while the clear line is as inconspicuous as possible to wary winter fish.



LEADER ICE NEW

Code	Diameter, mm	Length, m	Test, kg	Colour
302 506	0,100	30	1,3	Transparent clean
302 507	0,120	30	1,6	Transparent clean
302 508	0,140	30	2,2	Transparent clean
302 509	0,160	30	2,7	Transparent clean



LEADER ICE RED NEW

Code	Diameter, mm	Length, m	Test, kg	Colour
302 510	0,100	30	1,3	Transparent Red
302 511	0,120	30	1,6	Transparent Red
302 512	0,140	30	2,2	Transparent Red
302 513	0,160	30	2,7	Transparent Red

Toray Morm Special - a high-quality monofilament line from Toray. We particularly recommend this line for mormyshka fishing, a very popular and rapidly growing fishing method. This method uses tiny lures and fine, high-quality lines and braids that provide maximum confidence when targeting relatively large fish.



TORAY MORM SPECIAL RED NEW

Code	Diameter, mm	Length, m	Test, kg	Colour
303 240	0,081	90	0,89	Red
302 523	0,092	90	1,15	Red
302 524	0,102	90	1,65	Red
302 525	0,112	90	1,91	Red



TORAY MORM SPECIAL NEW

Code	Diameter, mm	Length, m	Test, kg	Colour
303 241	0,081	90	0,89	Transparent clean
303 242	0,092	90	1,15	Transparent clean
303 243	0,102	90	1,65	Transparent clean
303 244	0,112	90	1,91	Transparent clean

X4 JIG BRAID NEW

X4 Jig braid - an extensive range of quality, modern Nautilus braids. Made with a 4-strand weave of high-strength PE fibres, the line offers very high abrasion resistance and minimal stretch. These properties make it ideal for jig fishing and other lure fishing methods. Available in a very wide variety of colours. Supplied in a convenient plastic box, with a wide choice of diameters and colours.



Code	Diameter, mm	PE size	Length, m	Test, kg	Test, lb	Colour
302 612	0,080	0,6	150	4,5	10	Chartreuse
302 613	0,100	0,8	150	5,4	12	Chartreuse
302 614	0,120	1,0	150	6,8	15	Chartreuse
302 615	0,140	1,2	150	9,1	20	Chartreuse
302 616	0,160	1,5	150	10,8	25	Chartreuse
302 617	0,180	2,0	150	13,2	30	Chartreuse
302 618	0,200	2,5	150	15,7	35	Chartreuse
302 619	0,220	3,0	150	18,1	40	Chartreuse
302 620	0,240	3,5	150	20,1	45	Chartreuse
302 621	0,260	4,0	150	22,6	50	Chartreuse
302 622	0,280	4,5	150	24,1	55	Chartreuse



Code	Diameter, mm	PE size	Length, m	Test, kg	Test, lb	Colour
302 660	0,080	0,6	150	4,5	10	Multicolour
302 661	0,100	0,8	150	5,4	12	Multicolour
302 662	0,120	1,0	150	6,8	15	Multicolour
302 663	0,140	1,2	150	9,1	20	Multicolour
302 664	0,160	1,5	150	10,8	25	Multicolour
302 665	0,180	2,0	150	13,2	30	Multicolour
302 666	0,200	2,5	150	15,7	35	Multicolour
302 667	0,220	3,0	150	18,1	40	Multicolour
302 668	0,240	3,5	150	20,1	45	Multicolour
302 669	0,260	4,0	150	22,6	50	Multicolour
302 670	0,280	4,5	150	24,1	55	Multicolour



Code	Diameter, mm	PE size	Length, m	Test, kg	Test, lb	Colour
302 624	0,080	0,6	150	4,5	10	Fluoro Orange
302 625	0,100	0,8	150	5,4	12	Fluoro Orange
302 626	0,120	1,0	150	6,8	15	Fluoro Orange
302 627	0,140	1,2	150	9,1	20	Fluoro Orange
302 628	0,160	1,5	150	10,8	25	Fluoro Orange
302 629	0,180	2,0	150	13,2	30	Fluoro Orange
302 630	0,200	2,5	150	15,7	35	Fluoro Orange
302 631	0,220	3,0	150	18,1	40	Fluoro Orange
302 632	0,240	3,5	150	20,1	45	Fluoro Orange
302 633	0,260	4,0	150	22,6	50	Fluoro Orange
302 634	0,280	4,5	150	24,1	55	Fluoro Orange



Code	Diameter, mm	PE size	Length, m	Test, kg	Test, lb	Colour
302 636	0,080	0,6	150	4,5	10	Fluoro Yellow
302 637	0,100	0,8	150	5,4	12	Fluoro Yellow
302 638	0,120	1,0	150	6,8	15	Fluoro Yellow
302 639	0,140	1,2	150	9,1	20	Fluoro Yellow
302 640	0,160	1,5	150	10,8	25	Fluoro Yellow
302 641	0,180	2,0	150	13,2	30	Fluoro Yellow
302 642	0,200	2,5	150	15,7	35	Fluoro Yellow
302 643	0,220	3,0	150	18,1	40	Fluoro Yellow
302 644	0,240	3,5	150	20,1	45	Fluoro Yellow
302 645	0,260	4,0	150	22,6	50	Fluoro Yellow
302 646	0,280	4,5	150	24,1	55	Fluoro Yellow



Code	Diameter, mm	PE size	Length, m	Test, kg	Test, lb	Colour
302 648	0,080	0,6	150	4,5	10	Green
302 649	0,100	0,8	150	5,4	12	Green
302 650	0,120	1,0	150	6,8	15	Green
302 651	0,140	1,2	150	9,1	20	Green
302 652	0,160	1,5	150	10,8	25	Green
302 653	0,180	2,0	150	13,2	30	Green
302 654	0,200	2,5	150	15,7	35	Green
302 655	0,220	3,0	150	18,1	40	Green
302 656	0,240	3,5	150	20,1	45	Green
302 657	0,260	4,0	150	22,6	50	Green
302 658	0,280	4,5	150	24,1	55	Green



X4 FEEDER BRAID NEW

X4 feeder braid - a dedicated braided line for feeder fishing. Affordable for a wide range of anglers, with a choice of diameters for use with different rod setups. Available in two colours: dark brown and dark green.



DARK BROWN

Code	Diameter, mm	PE size	Length, m	Test, kg	Test, lb	Colour
302 690	0,080	0,6	135	4,5	10	Fluoro Yellow
302 691	0,100	0,8	135	5,4	12	Fluoro Yellow
302 692	0,120	1,0	135	6,8	15	Fluoro Yellow
302 693	0,140	1,2	135	9,1	20	Fluoro Yellow
302 694	0,160	1,5	135	10,8	25	Fluoro Yellow
302 695	0,180	2,0	135	13,2	30	Fluoro Yellow
302 696	0,200	2,5	135	15,7	35	Fluoro Yellow
302 697	0,220	3,0	135	18,1	40	Fluoro Yellow
302 698	0,240	3,5	135	20,1	45	Fluoro Yellow
302 699	0,260	4,0	135	22,6	50	Fluoro Yellow
302 700	0,280	4,5	135	24,1	55	Fluoro Yellow



DARK GREEN

Code	Diameter, mm	PE size	Length, m	Test, kg	Test, lb	Colour
302 702	0,080	0,6	135	4,5	10	Green
302 703	0,100	0,8	135	5,4	12	Green
302 704	0,120	1,0	135	6,8	15	Green
302 705	0,140	1,2	135	9,1	20	Green
302 706	0,160	1,5	135	10,8	25	Green
302 707	0,180	2,0	135	13,2	30	Green
302 708	0,200	2,5	135	15,7	35	Green
302 709	0,220	3,0	135	18,1	40	Green
302 710	0,240	3,5	135	20,1	45	Green
302 711	0,260	4,0	135	22,6	50	Green
302 712	0,280	4,5	135	24,1	55	Green



X4 LIGHT GAME BRAID NEW

X4 Light Game - a range of high-quality braided lines for ultralight and light fishing. Made with a 4-strand weave for maximum tightness and surface smoothness. Designed for the longest casts with light lures and rigs. Ideal for saltwater rock fishing, fishing over rocky bottoms, and rivers with strong currents and high levels of abrasive particles in the water. Available in the most popular diameters and a bright, easy-to-track colour.



Code	PE size	Length, m	Test, kg	Test, lb	Colour
302 684	0,3	150	2,2	5	Chartreus
302 685	0,4	150	3,6	8	Chartreus
302 686	0,6	150	4,4	10	Chartreus
302 687	0,8	150	5,4	12	Chartreus
302 688	1,0	150	6,3	14	Chartreus



X4 BRAID NEW

X4 Braid - new for 2024 in the Nautilus range of 4-strand braided lines. Made from quality, modern PE fibres by braiding followed by finishing. It has a tight weave and minimal stretch. A wide choice of popular diameters and colours makes it suitable for all types of fishing. Highly affordable.



FLUORO YELLOW

Code	Diameter, mm	PE size Length, m	Test, kg	Test, lb	Colour	
302 690	0,080	0,6	135	4,5	10	Fluoro Yellow
302 691	0,100	0,8	135	5,4	12	Fluoro Yellow
302 692	0,120	1,0	135	6,8	15	Fluoro Yellow
302 693	0,140	1,2	135	9,1	20	Fluoro Yellow
302 694	0,160	1,5	135	10,8	25	Fluoro Yellow
302 695	0,180	2,0	135	13,2	30	Fluoro Yellow
302 696	0,200	2,5	135	15,7	35	Fluoro Yellow
302 697	0,220	3,0	135	18,1	40	Fluoro Yellow
302 698	0,240	3,5	135	20,1	45	Fluoro Yellow
302 699	0,260	4,0	135	22,6	50	Fluoro Yellow
302 700	0,280	4,5	135	24,1	55	Fluoro Yellow



GREEN

Code	Diameter, mm	PE size Length, m	Test, kg	Test, lb	Colour	
302 702	0,080	0,6	135	4,5	10	Green
302 703	0,100	0,8	135	5,4	12	Green
302 704	0,120	1,0	135	6,8	15	Green
302 705	0,140	1,2	135	9,1	20	Green
302 706	0,160	1,5	135	10,8	25	Green
302 707	0,180	2,0	135	13,2	30	Green
302 708	0,200	2,5	135	15,7	35	Green
302 709	0,220	3,0	135	18,1	40	Green
302 710	0,240	3,5	135	20,1	45	Green
302 711	0,260	4,0	135	22,6	50	Green
302 712	0,280	4,5	135	24,1	55	Green



MULTICOLOUR

Code	Diameter, mm	PE size Length, m	Test, kg	Test, lb	Colour	
302 714	0,080	0,6	135	4,5	10	Multicolour
302 715	0,100	0,8	135	5,4	12	Multicolour
302 716	0,120	1,0	135	6,8	15	Multicolour
302 717	0,140	1,2	135	9,1	20	Multicolour
302 718	0,160	1,5	135	10,8	25	Multicolour
302 719	0,180	2,0	135	13,2	30	Multicolour
302 720	0,200	2,5	135	15,7	35	Multicolour
302 721	0,220	3,0	135	18,1	40	Multicolour
302 722	0,240	3,5	135	20,1	45	Multicolour
302 723	0,260	4,0	135	22,6	50	Multicolour
302 724	0,280	4,5	135	24,1	55	Multicolour



MONSTER PIKE

A range of braided lines designed for fishing with large lures such as swimbaits and jerkbaits. Made from high-quality PE fibres, the line has a tight weave and high abrasion resistance. It has no memory and zero stretch. Ideal for baitcasting reels and powerful rods when targeting trophy fish. Available in 4-strand and 8-strand versions.



Code	Diameter, mm	PE size	Length, m	Test, kg	Test, lb	Colour
300 332	0.36	4	150	27.2	60	Dark Green
303 333	0.38	5	150	31.7	70	Dark Green
300 334	0.41	6	150	36.2	80	Dark Green



Code	Diameter, mm	PE size	Length, m	Test, kg	Test, lb	Colour
300 328	0.36	4	150	29	64	Dark Green
303 329	0.38	5	150	34	76	Dark Green
300 330	0.41	6	150	39	86	Dark Green