

NAUTILUS

Novelties.

NAUTILUS

BLACK ROCK **NEW**



The Nautilus Black Rock 2026 is the most high-tech UL reel in the Nautilus range with an extremely low weight (only 140g for the 2000s model). The kinematic design with an 'worm shaft' (Worm Shaft System) in combination with an ultra-slow spool feed (Slow Oscillation System) ensures flawless placement even when using the thinnest braided lines, as well as maximum release of the lightest baits. The anti-reverse system is made according to a modern concept - without a reverse switch flag, which allows you to achieve maximum reliability. Aesthetics, comfort, sleek design and advanced characteristics make Black Rock unique in its class and compatible with any top spinning rod. Despite the incredibly light weight, the range of applications for Black Rock is very wide: from jig fishing and extra-UL to a full-fledged light class.



WORMSHAFT SYSTEM	METAL SPOOL	ANTI-TWIST ROLLER	ARC LIGHT SPOOL	CARBON ROTOR	CARBON BODY	COMPUTER BALANCED ROTOR
SUPER SLOW OSCILLATION	SHALLOW SPOOL	AIR ROTOR	AIR BAIL	SCREW-IN HANDLE	PARONITE FRICTION SYSTEM	SHALLOW SPOOL

Bearing size	Gear ratio	line capacity	PE/m
2000SS	7+1	5.2:1	0.4# /150m
2000S	7+1	5.2:1	0.6# /150m

ARTA NEW



Nautilus Arta 2026 is an updated line of spinning reels in the Nautilus range. The series is presented in three sizes. It has the full range of technical solutions and qualities inherent in a high class and level.

The updated reels have retained their unique parameters and characteristics, such as a metal body, reinforced rod mechanism, high drag load, X-Ship system, recognizable design and smooth running. The most important thing is that the price has remained the same, and the reel has become much more modern and technologically advanced.

AIR ROTOR	X-SHIP SYSTEM	POWER GEAR	METAL SPOOL	HIGH RELIABILITY	ANTITWIST ROLLER	ARC LIGHT SPOOL
PARONITE FRICTION SYSTEM	AIR BAIL	SCREW-IN HANDLE	COMPUTER BALANCED ROTOR	COLLAPSIBLE KNOB	METAL BODY	

ARTA PG NEW



The Nautilus Arta PG 2026 is a 4.3:1 gear ratio drag reel designed for heavy weight jigging and large lure pelagic fishing. This is the most popular size. The model has an optimal combination of power and low weight, which makes it compatible with any modern rods.

Size	Bearings	Gear ratio	Line capacity mm/m	
2500		9+1	4.9:1	0.205/140 0.221/120 0.247/95
3000		9+1	4.9:1	0.221/140 0.247/115 0.285/90
4000		9+1	4.9:1	0.247/130 0.285/110.305/90
4000 PG		9+1	4.3:1	0.247/130 0.285/110.305/90

NAUTILUS

GRINDER NEW



Nautilus Grinder 2026 is a new spinning reel, available in sizes from 2000 to 4000. The model is equipped with a lightweight carbon body and rotor, an worm shaft system, slow spool feed and a screw-in handle. Improvements have also been made to the main pair, the line roller and the knob, which is now equipped with a bearing. All this provides the perfect balance of smoothness, light weight and reliability for any type of retrieve.

AIR BAIL	AIR ROTOR	COMPUTER BALANCED ROTOR	CARBON ROTOR	CARBON BODY	PARONITE FRICTION SYSTEM
SCREW-IN HANDLE	SLOW OSCILATION	ANTITWIST ROLLER	WORMSHAFT SYSTEM	ARC LIGHT SPOOL	COLLAPSIBLE KNOB

Size	Bearings	Gear ratio	Line capacity mm/m	Line capacity PE/m
2000	6+1	5.1:1	0.141/160 0.162/140 0.181/110	0.6/150
2500	6+1	5.1:1	0.205/140 0.221/120 0.247/95	1.2/150
3000	6+1	5.1:1	0.221/140 0.247/115 0.285/90	1.5/150
4000	6+1	5.1:1	0.285/180 0.305/160 0.330/130	2.0/200

INTEGRAL NEW



Nautilus Integral 2026 stands out for its laconic design and a set of technical solutions that ensure maximum reliability. The use of anti-corrosion high-quality SW Protect ball bearings allows the reel to be used even in salt water for sea fishing. The handle, which screws directly into the main pair, minimizes backlash and also contributes to quiet and smooth operation of the mechanism. The modified Antireverse system without a reverse stop flag guarantees reliable operation of the overrunning clutch even in winter spinning fishing conditions. A wide range of models allows you to choose a reel for any rod test.

METAL SPOOL	AIR BAIL	AIR ROTOR	ANTITWIST ROLLER	PARONITE FRICTION SYSTEM	COMPUTER BALANCED ROTOR	ARC LIGHT SPOOL
SCREW-IN HANDLE	HIGH RELIABILITY					

Size	Bearings	Gear ratio	Line capacity mm/m
1000	5+1	5.2:1	0.17/130 0.19/110 0.24/90
2000	5+1	5.2:1	0.17/150 0.19/130 0.24/105
2500	5+1	5.2:1	0.19/150 0.24/130 0.28/115
3000	5+1	5.2:1	0.19/200 0.24/160 0.28/145

EXORNA NEW



Nautilus Exorna 2026 is a new reel model from Nautilus for the 2026 season. All reels are made in a stylish design using modern technologies. They have an easy and smooth movement, and the reliability of the mechanism is confirmed by numerous tests and tests. The model range is suitable for a wide variety of rods and fishing methods.

AIR BAIL	AIR ROTOR	ANTITWIST ROLLER	ARC LIGHT SPOOL	PARONITE FRICTION SYSTEM	METAL SPOOL	COMPUTER BALANCED ROTOR
Size	Bearings	Gear ratio	Line capacity mm/m	Line capacity PE/m		
2000	5+1	5.1:1	0.141/160 0.162/140 0.181/110	0.6/150		
2500	5+1	5.1:1	0.205/140 0.221/120 0.247/95	1.2/150		
3000	5+1	5.1:1	0.221/140 0.247/115 0.285/90	1.5/150		
4000	5+1	5.1:1	0.285/180 0.305/160 0.330/130	2.0/200		

LEGALLY NEW



Nautilus Legally 2026 - Nautilus has updated the Legally line of reels, adding a model in size 4000. The mechanism has been completely redesigned, but the recognizable design has been preserved. The new rotor increased sensitivity, and the updated main pair made the move even smoother. The upgrades also included the drag and housing, which increased overall reliability and improved ergonomics.

AIR BAIL	AIR ROTOR	ANTITWIST ROLLER	ARC LIGHT SPOOL	PARONITE FRICTION SYSTEM	METAL SPOOL	COMPUTER BALANCED ROTOR
Size	Bearings	Gear ratio	Line capacity mm/m	Line capacity PE/m		
2000	5+1	5.1:1	0.141/160 0.162/140 0.181/110	0.6/150		
2500	5+1	5.1:1	0.205/140 0.221/120 0.247/95	1.2/150		
3000	5+1	5.1:1	0.221/140 0.247/115 0.285/90	1.5/150		
4000	5+1	5.1:1	0.285/180 0.305/160 0.330/130	2.0/200		

MONSTER PIKE SB NEW



Nautilus Monster Pike SB 2026 is a baitcasting reel for power fishing, available in size 400 (left-handed). A key feature is the low gear ratio of 5.4:1, which provides a slow retrieve for swimbaits, increased power and pulling performance.

A durable carbon body, eight bearings, a magnetic braking system and a singing clutch complete the functionality. The deep spool is designed for thick braided lines. The stylish design of the reel is in harmony with the rods of the Monster Pike series.

COMPUTER
BALANCED
ROTOR

POWER
HANDLE

HIGH
RELIABILITY

CARBON
BODY

COLLAPSIBLE
KNOB

Size Bearings Gear ratio Line capacity mm/m

400

8+1

5.4: 1

0.28/250 0.33/200





NAUTILUS

ARTA FEEDER NEW



Nautilus Arta Feeder 2026 - These feeder reels feature a custom design, fine-tuned drag, larger spool size and capacity, and an improved safety clip. Gear ratios of 4.3:1 on the 4000S and 4.5:1 on the 6000S highlight their power and ensure comfortable handling of heavy feeders.

AIR BAIL	AIR ROTOR	ANTITWIST ROLLER	POWER GEAR	ARC LIGHT SPOOL	SCREW-IN HANDLE	X-SHIP SYSTEM
METAL SPOOL	BACKING POWER CLIP	METAL BODY	COMPUTER BALANCED ROTOR	SHALLOW SPOOL	PARONITE FRICTION SYSTEM	COLLAPSIBLE KNOB

Size	Bearings	Gear ratio	Line capacity mm/m
4000S	7+1	4.3: 1	0.205/130 0.221/115 0.246/100
6000S	7+1	4.5: 1	0.221/180 0.247/150 0.285/120

LUX FEEDER NEW



Nautilus Lux Feeder 2025 is a continuation of the successful Lux line from Nautilus. This is a powerful reel for MH-H class feeder rods with a gear ratio of 4.6:1, designed to work with heavy equipment. The model is equipped with an enlarged metal handle with an EVA knob, as well as a safety clip that reliably protects both the braided line and monofilament line. The reel is available in two sizes 6000 and 6000S, which allows you to choose the best option for different line diameters and fishing conditions.

AIR BAIL	AIR ROTOR	ANTITWIST ROLLER	POWER GEAR
BACKING POWER CLIP	COMPUTER BALANCED ROTOR	POWER HANDLE	LIGHT KNOB
PARONITE FRICTION SYSTEM	ARC LIGHT SPOOL	METAL SPOOL	

Size	Bearings	Gear ratio	Line capacity mm/m
6000	6+1	4.6: 1	0.305/280 0.330/240 0.356/210
6000S	6+1	4.6: 1	0.255/200 0.285/170 0.305/150

VINZA FEEDER NEW



Nautilus Vinza Feeder 2026 is a new model in the Vinza line of reels from Nautilus, made in feeder design. Available in two sizes: 6000 and 6000S. Suitable for use with both thin braided lines and powerful monofilament line. The 4.8:1 gear ratio allows for fast reeling from long distances while maintaining power when working with heavy rigs. The reel handle, which screws directly into the main pair, minimizes backlash. A clip with a plastic backing reliably protects thin braided lines from damage.

BACKING POWER CLIP	METAL SPOOL	POWER HANDLE	SHALLOW SPOOL	COMPUTER BALANCED ROTOR	ENLARGED GEAR	
AIR BAIL	AIR ROTOR	ANTITWIST ROLLER	POWER GEAR	ARC LIGHT SPOOL	SCREW-IN HANDLE	PARONITE FRICTION SYSTEM

Size	Bearings	Gear ratio	Line capacity mm/m
6000	5+1	4.8: 1	0.20/420 0.25/270 0.30/185
6000S	5+1	4.8: 1	0.20/220 0.25/140 0.30/95

ZOLIX FEEDER NEW



The Nautilus Zolix Feeder 2026 is a powerful feeder reel available in sizes 6000 and 6000S. Equipped with an aluminum spool of increased diameter, a screw-in handle with an extended arm, a bearing in the line roller and a large clip with a plastic backing. Optimal for use with feeder rods of classes MH-XH.



BACKING POWER CLIP	METAL SPOOL	POWER HANDLE	SHALLOW SPOOL	COMPUTER BALANCED ROTOR	ENLARGED GEAR	
AIR BAIL	AIR ROTOR	ANTITWIST ROLLER	POWER GEAR	ARC LIGHT SPOOL	SCREW-IN HANDLE	PARONITE FRICTION SYSTEM

Size	Bearings	Gear ratio	Line capacity mm/m
6000	5+1	4.8: 1	0.20/420 0.25/270 0.30/185
6000S	5+1	4.8: 1	0.20/220 0.25/140 0.30/95

EXORNA FEEDER NEW



Nautilus Exorna 2026 is a new generation feeder reel from Nautilus. Designed specifically for feeder fishing. The powerful and wear-resistant mechanism has undergone serious testing, guaranteeing reliability even when working with heavy feeders over long distances.

The balanced design provides comfort when fishing in currents, still water and difficult terrain. Exorna combines power and precision. This is the choice of those who value quality and thoughtfulness in every detail.

AIR BAIL	AIR ROTOR	ANTITWIST ROLLER				
PARONITE FRICTION SYSTEM	SHALLOW SPOOL	BACKING POWER CLIP	ARC LIGHT SPOOL	METAL SPOOL	SIMPLE & AVAILABLE	COMPUTER BALANCED ROTOR

Size	Bearings	Gear ratio	Line capacity mm/m			
6000S		5+1	5.1: 1	0.265/220	0.285/200	0.305/180

LEGALLY FEEDER NEW



Nautilus Legally Feeder 2026. The reels retained their recognizable design, but received a completely updated mechanism: a lightweight rotor for a better start, a redesigned main pair for increased smoothness, an improved drag and an ergonomic body. The models have become lighter, more reliable and more convenient, while remaining accessible to anglers.



AIR BAIL	AIR ROTOR	ANTITWIST ROLLER				
PARONITE FRICTION SYSTEM	SHALLOW SPOOL	BACKING POWER CLIP	ARC LIGHT SPOOL	METAL SPOOL	SIMPLE & AVAILABLE	COMPUTER BALANCED ROTOR

Size	Bearings	Gear ratio	Line capacity mm/m			
6000S		6+1	5.1: 1	0.265/220	0.285/200	0.305/180

BUTLER FEEDER **NEW**



Nautilus Butler Feeder 2026 is a long-awaited new addition to the Butler line from Nautilus, which is ideally combined with Butler bottom rods. In addition to the overall design and concept focused on bottom fishing, these reels are characterized by maximum reliability, affordable prices and are very popular among anglers.

The reel is available in size 4000S, is made in the line-s signature colors, has a quiet and smooth ride, as well as excellent traction characteristics.

- SHALLOW SPOOL
- PARONITE FRICTION SYSTEM
- AIR BAIL
- ANTITWIST ROLLER
- COMPUTER BALANCED ROTOR
- POWER GEAR
- ARC LIGHT SPOOL
- METAL SPOOL
- HIGH RELIABILITY

Size	Bearings	Gear ratio	Line capacity mm/m	
4000S		4+1	4.4: 1	0.25/185 0.28/150 0.30/130





BLACK ROCK CARP **NEW**



Nautilus Black Rock Carp 2026 is perhaps the best carp reel in its class and price segment from Nautilus, which implements the entire range of technical characteristics necessary in modern carp fishing. The aluminum body means reliability, increased service life and precision in the manufacture of seats. The "worm shaft" ensures perfect line laying, slow spool feed, ensures perfect line laying, increases casting distance and prevents the appearance of beards and loops. The quick drag system makes it easier to work with the reel when casting and retrieving. The handle, which is screwed into the main pair, allows you to minimize backlash, as well as achieve the most quiet and smooth operation of the mechanism.

ANTITWIST ROLLER	SUPER SLOW OSCILLATION	WORMSHAFT SYSTEM	METAL SPOOL	BACKING POWER CLIP	QUICK DRAG	METAL BODY
COMPUTER BALANCED ROTOR	LONG CAST SPOOL	ARC LIGHT SPOOL	AIR ROTOR	ARC LIGHT SPOOL	AIR BAIL	POWER HANDLE
					SCREW-IN HANDLE	SHALLOW SPOOL

Size	Bearings	Gear ratio	Line capacity mm/m
8000		9+1	4.1: 1
10000		9+1	4.1: 1
			0.286/250
			0.30/450

CORNET BR **NEW**



Nautilus Cornet BR 2025 - power reel from Nautilus with Baitrunner system. Universal for carp fishing, feeder, bottom and catfish fishing. The deep spool holds a large supply of strong fishing lines and braided lines, which makes it suitable for both casting and bringing in bait. Reliable when playing large fish and compatible with modern rods. A stylish design completes the look of this functional reel.



Size	Bearings	Gear ratio	Line capacity mm/m
6000BR		5+1	5.1: 1
			0.305/240 0.330/200 0.356/170



RODS

DISTANT DASH NEW



Nautilus Distant Dash 2026 - fast and responsive blanks, made using Monocoque technology from Japanese TORAYCA T1100G cross-weave carbon fiber, providing maximum rigidity and sensitivity. Equipped with a Fuji reel seat and lightweight Webco ZL guides, which increase casting distance and reduce freezing.

Ideal for shore jigging: aggressive hooking, confident fishing and comfortable work at a distance - both from the shore and from the boat.

Model	Length, m	Casting weight, g	Action	Test curve, lb	Transport length, m	Sections	
NDDS-902M	2.74	5-28	Ex-Fast	6-18	1.45	2	
NDDS-902MH	2.74	8-48	Ex-Fast	10-28	1.45	2	
NDDS-962M	2.89	6-35	Ex-Fast	6-18	1.49	2	
NDDS-962H	2.89	10-56	Ex-Fast	10-22	1.49	2	
NDDS-1002MH	3.05	7-46	Ex-Fast	10-20	1.56	2	

902ML is the lightest model in the line. Excellent for medium jigging, asp fishing, and night fishing for pike perch using hard lures.

902MH - model for shore jig fishing in currents with heavy baits.

962M - optimal stiffness for the stated length. Comfortable casting of jig and compact metal baits.

962H is a shore rod for heavy jigs and large fish.

1002 MH is a rod for the longest casts. Despite its length of 3 meters, the blank has a pronounced fast action and copes well with jig fishing.



NAUTILUS

ELISIUM NEW



Nautilus Elisium is a breakthrough new product for 2026!

A combination of top materials and technologies - a combination of Torayca M40X graphite (this is the most high-tech, durable, highly modular material of the Toray concern) and T1100G (a material with the highest tensile strength in the world today.)

For the first time, such grades of graphite became available in this price segment. The lightest guides with thin Slim Sic inserts in titanium frames, ergonomic, comfortable Fuji® VSS reel seat.

The result: powerful yet unexpectedly light even in high tests, with the highest sensitivity of every model in the Elisium series.

This is a new high-quality series, which is tailored to the maximum for modern, diverse jig fishing, for our conditions. (This is also evidenced by the specialization on the blank of the High Sensitivity Jig Edition rod).

Long-range, yet charged, hard and loud. With comfort in the animation of baits even on release, jig orientation and power from Medium to Heavy.

The unique Elisium action allows you to cold-bloodedly force the catch of a trophy in emergency situations and at the same time is able to work even on thin lines. This spinning rod combines all the qualities of a truly top model, which are emphasized by the most modern design and impeccable performance.



Model	Length, m	Casting weight, g	Test curve, lb	Action	Transport length, m	Sections	
ESM-732M	2.18	3-18	4-10	Fast	1.11	2	
ESM-762M	2.28	3-18	4-10	Fast	1.19	2	
ESM-762MH	2.28	7-28	6-18	Fast	1.19	2	
ESM-832MH	2.52	7-28	6-18	Fast	1.29	2	
ESM-862H	2.62	10-40	10-24	Fast	1.36	2	

ADVENT TOURNAMENT **NEW**



Nautilus Advent Tournament 2026 is a series of high-quality spinning rods, uncompromising in quality, materials used, sensors and balance.

The main idea behind the development of Advent Tournament is to create the most technologically advanced rods with a qualitatively new level of performance parameters in a given price range. Each Advent Tournament model, within its length and test range, is designed to 100% satisfy the needs of sophisticated anglers in all types of jig fishing in any conditions.

The capabilities of the series are revealed when fishing in windy weather and at great depths, in areas with strong currents, soft soil and when fish bite is capricious. In such conditions, tactile sensitivity transmitted to the hand plays a key role. Advent Tournaments are in demand when bait animation is required with precise control of its play and bottom topography.

It is also important to note the universal feature of the series: each Advent Tournament model ensures proper operation during fishing, and the structure of the rod allows you to confidently force the action when fighting trophy fish.

Model	Length, m	Casting weight, g	Test curve, lb	Action	Transport length, m	Sections	
NADT-732ML	2.21	5-25	4-18	Fast	1.15	2	
NADT-772M	2.31	7-35	8-20	Fast	1.21	2	
NADT-802M	2.44	7-35	8-20	Fast	1.24	2	
NADT-802MH	2.44	10-42	10-24	Fast	1.24	2	
NADT-802H	2.44	15-56	16-28	Fast	1.24	2	
NADT-802XH	2.44	25-70	20-35	Fast	1.24	2	
NADT-832M	2.52	7-35	8-20	Fast	1.30	2	
NADT-832H	2.52	15-56	16-28	Fast	1.30	2	
NADT-862MH	2.62	10-42	10-24	Fast	1.35	2	
NADT-902M	2.74	7-35	8-20	Fast	1.40	2	




Accessories - lightest guides, ergonomic, comfortable Fuji® VSS reel seat.

Advent Tournament is a series that 100% deserves the title of top: a combination of high-tech, durable and highly modular materials from the Toray concern with modularity of 30t and 40t, and for the first time on the market in this budget Torayca® T1100G - a material with the highest tensile strength in the world today.

The result is a ringing, tactilely sensitive, elastic, powerful and lightweight blank with characteristics previously unattainable in this budget. Even the weakest bites are transmitted to the hand clearly and from any distance.



BASSTARD PELAGIC SONAR FISHING (GUIDING EDITION) **NEW**



Basstard Pelagic Sonar Fishing (Guiding Edition) 2026 is a line of specialized rods for pelagic fishing for trophy fish, including large baits. The model range was developed taking into account modern realities, trends and baits that are relevant today for fishing with 'live sonar'.


Basstard Pelagic Sonar Fishing has all the most important parameters for fishing with a lifescopes: high casting accuracy, a 'bass' action that guarantees a large margin of safety for fighting trophy fish, as well as proven ergonomics that allow you to comfortably animate any bait.

The Guiding Edition prefix in the name means that these rods are ideal for both experienced fishing guides and their clients.



Model	Length, m	Casting weight, g	Action	Test curve, lb	Transport length, m	Sections	
BTSP-762XHH Spinning	2.28	120	Fast	15-50	1.24	2	
BTCPL-762XHH Casting	2.28	120	Fast	15-50	1.24	2	
BTSP-712XH Spinning	2.16	90	Fast	15-40	1.12	2	
BTCPL-712XH Casting	2.16	90	Fast	15-40	1.12	2	

BLACK ROCK **NEW**



Nautilus Black Rock 2026 is a new series of spinning rods from Nautilus. The main purpose of the line is fishing with light jigs and spaced rigs. At the same time, all models are excellent for working with hard lures and metal baits when hunting white predatory fish and pike perch.

Rod blanks are made of carbon fiber with modularity **40T**. They are equipped with a reel seat **Fuji** and light anti-overwhelm rings **Webow** with thin **ZL**-insert. Thanks to this, we managed to achieve optimal weight and balance. For example, the weight of a model with dough is up to 28 g and 2.7 meters long is only 93 g, which is an excellent indicator for modern top-end spinning rods.

All rods in the line have a pronounced ultra-fast action (EX-FAST). The butt part is thin, without excess power, due to which it actively participates in both casting and retrieving fish. The spinning rods demonstrate excellent tactile and visual sensitivity, starting at the lower end of the test range.

782UL is the youngest model in the line, aimed at fishing with microjigs and small hard lures when catching chub.

802L - this model has a fairly rigid top, and in addition to jig fishing, it is optimally combined with 35-40mm lures when catching white predators. The ratio of length, test, and action indicates its demand for a wide variety of fishing methods with light baits.

822L - optimal for light jig fishing and spaced rigs.

832LL - the rod is in demand for all types of fishing within the test, it is optimally suited for catching pike perch with baits of about 3 inches, catching chub and asp with compact jigs, and crankbait hard lures 40-50mm with varying degrees of depth.

862L- the main purpose of this model is medium jig and night catching pike perch with wobblers.

902M is a long-range and lightweight rod for jigging within range and catching asp with all types of bait. Jigs, cicadas, tail spinners and spinners are optimally combined with this rod.

Model Length, m	Test, g	Test, PE	Construction	Transport. length, m	Parts	
NBRS-782UL	2.34	1-8	0.1-0.4	Ex-Fast	1.20	2
NBRS-802L	2.44	2-10	0.2-0.5	Ex-Fast	1.24	2
NBRS-822L	2.48	2-12	0.3-0.6	Ex-Fast	1.28	2
NBRS-832LL	2.51	3-16	0.3-0.8	Ex-Fast	1.31	2
NBRS-862ML	2.59	4-21	0.4-0.8	Ex-Fast	1.33	2
NBRS-902M	2.74	5-28	0.6-1.0	Ex-Fast	1.48	2



NAUTILUS

SEKTOR NEW



902L LCS is a popular and affordable spinning rod for catching white predators with a wide variety of baits.

922ML AB is a rod designed for asp hunting on large rivers and reservoirs. 924MH NT is a rod made according to the Travel concept. Due to its compactness when assembled, it is suitable for travel, rafting, and tourist trips.

962M RCG is a classic coastal spinning rod for long-distance casting of compact baits.

962MH LG - a rod aimed at long-distance jig fishing

1002MH is the longest-range rod in the line, allowing you to cast compact lures up to 100 meters. 1000XH - model designed for heavy jig fishing and large oscillating spoons.

Nautilus Sektor 2026 is a new name in the line of rods from Nautilus. This is an affordable series of spinning rods with a wide range of capabilities, created for the widest range of anglers.

The main purpose of these models is jigging and catching white predators using a variety of baits. The rods are available in lengths from 9 feet (2.7 meters), which indicates their long-range: they allow you to make accurate and long casts from the shore or throw to the asp pot from a boat.

The model range also includes a travel version of the spinning rod, which is perfect for long-distance travel, rafting, tourism and sea fishing.

Model	Length, m	Casting weight, g	Action	Test curve, lb	Transport length, m	Sections	
NSLCS-902L	2.74	4-18	Fast	4-14	1.45	2	
NSABS-922ML	2.79	5-24	Fast	6-16	1.45	2	
NSNTS-924MH TRAVEL	2.79	8-30	Ex-Fast	10-20	0.76	4	
NSRCS-962M	2.89	7-28	Ex-Fast	8-18	1.51	2	
NSLRS-962MH	2.89	10-35	Ex-Fast	10-20	1.51	2	
NSJMS-1002MH	3.05	10-42	Ex-Fast	10-22	1.63	2	
NSJMS-1002XH	3.05	20-70	Ex-Fast	12-25	1.63	2	



TOTAL MORM NEW



Nautilus Total Morm 2026 are affordable spinning rods designed for mormy fishing. They are ideal for fishing with mini-lures in the water column and near the bottom, and also work well with both line and thin lines. The line includes two-part and compact four-part models (Travel) for travel. The rods have a stylish design, and the kit includes a case. Suitable for both beginners and professionals.

Model	Length, m	Casting weight, g	Action	Transport length, m	Sections	
NTM-612SXUL	1.85	0.2-0.8	Moderate Fast	0.96	2	
NTM-662SXUL	1.98	0.2-0.8	Moderate Fast	0.96	2	
NTM-614SXUL TRAVEL	1.85	0.2-0.8	Moderate Fast	0.51	4	



FUKURU



Fukuru is a line of spinning rods from Nautilus, aimed at delicate fishing in the 'Mormo' style. Minimum weight, general sensitivity and specific action allow you to achieve the most delicate retrieves, using the lightest possible baits typical for this type of fishing. All models have a glued tip, Solid type, are equipped with lightweight single-leg guides, with a thin SIC insert and Fuji reel seats.

Model	Length, m	Casting weight, g	Action	Transport length, m	Sections	
NFM-S572SXUL	1.74	0.1-0.8	Moderate Fast	0.90	2	
NFM-S592SXUL	1.80	0.2-1.2	Moderate Fast	0.94	2	
NFM-S602SXUL	1.85	0.2-1.5	Moderate Fast	0.97	2	
NEW NFM-574XUL TRAVEL	1.73	0.1-1	Moderate Fast	0.41	4	





I'ZI



Nautilus Izi are new models for the 2026 season in the Izi spinning rod line. Now the model range includes rods for trout fishing on commercial reservoirs and more powerful spinning rods for chub hunting.

While maintaining the general concept and design, the Izi line of rods solves a wider range of fishing tasks. It allows you to fish in various conditions, use a variety of fishing techniques and a variety of baits.

Model	Length, m	Casting weight, g	Test curve	Lb	Action	Transport length, m	Sections	
NIS-582UL	1.73	0.8-4	2-6	Fast	0.91	2		
NIS-602UL-TW	1.82	1-6	2-8	Fast	0.93	2		
NIS-632UL-SP	1.91	0.8-5	2-6	Fast	0.98	2		
NIS-642L	1.93	1.5-8	2-6	Fast	0.99	2		
NIS-662L	1.98	2-10	2-8	Fast	1.02	2		
NEW NIS-632UL-AR	1.82	1-5	2-6	Fast	0.98	2		
NEW NIS-662UL-AR	1.98	2-7	2-6	Fast	0.98	2		
NEW NIS-732L	2.21	3-12	3-12	Fast	1.16	2		
NEW NIS-762L	2.28	2-10	2-10	Fast	1.26	2		

632, 662 AR - rods for trout fishing on commercial waters. Optimally suitable for working with hard lures and spinners. Thanks to the action, fish escape from barbless hooks.

732L is a universal spinning rod for catching chub and asp, allows you to animate large wolfs and use Deep class hard lures measuring 30-50mm.

762L is a chub rod for the entire class of baits used to catch this fish.



NAUTILUS

XEPTOR NEW

Nautilus Xeptor 2026 - seven models of 30T graphite rods designed and engineered for jig fishing. When creating the series, all modern trends and characteristic features of the baits, baits and styles used were taken into account. The chosen format allows the rods to be widely used both in coastal fishing and in fishing from a boat.

Model	Length, m	Casting weight, g	Action	Transport length, m	Sections	
XPRS-822H	2.5	16-56	Ex-Fast	1.35	2	
XPRS-822HH	2.5	20-84	Ex-Fast	1.35	2	
XPRS-822M	2.5	7-28	Ex-Fast	1.35	2	
XPRS-822MH	2.5	12-42	Ex-Fast	1.35	2	
XPRS-822MMH	2.5	10-35	Ex-Fast	1.35	2	
XPRS-942HH	2.87	20-84	Ex-Fast	1,5	2	
XPRS-942MH	2.87	12-42	Ex-Fast	1,5	2	



INVENT NEW

Nautilus Invent 2026 - a wide range of rods of the most popular lengths and tests for shore and boat fishing. The spinning rods are made of modern, high-quality graphite (30T), which allows us to achieve excellent sensitivity.

Model	Length, m	Casting weight, g	Action	Transport length, m	Sections	
IVTS-762M	2.32	5-25	Ex-Fast	1.21	2	
IVTS-802ML	2.44	7-21	Ex-Fast	1.29	2	
IVTS-842H	2.56	16-56	Ex-Fast	1.32	2	
IVTS-862HH	2.62	18-70	Ex-Fast	1.35	2	
IVTS-862M	2.62	7-28	Ex-Fast	1.35	2	
IVTS-862MH	2.62	10-35	Ex-Fast	1.35	2	
IVTS-942H	2.87	15-56	Ex-Fast	1.52	2	



BASSTARD NEW

Constructed from 24T + 30T graphite, the Nautilus Bastard 2026 combines the power and precision needed for jerking crankbaits. The fast action and reinforced design provide complete control over the bait even in the most difficult conditions.

As a result of restyling, the rods received a more modern design, lightweight guides with improved fittings and increased sensitivity.

Model	Length, m	Casting weight, g	Action	Transport length, m	Sections
BTS-672MH	2.01	7-28	Fast	0.83	2
BTS-692H	2.06	10-38	Fast	1.07	2



Model	Length, m	Casting weight, g	Action	Transport length, m	Sections
BTC-672MH	2.01	7-28	Fast	0.83	2
BTC-692H	2.06	10-42	Fast	1.07	2
BTC-712XH	2.16	14-56	Fast	1.12	2



NAUTILUS

PARADOX NEW



Nautilus Paradox 2026 - graphite spinning rods 24T + 30T in the Nautilus assortment. Fast and powerful spinning rods with good casting and high sensitivity. Equipped with anti-wrap rings and an ergonomic spaced handle made of EVA.

Twitching series

Model	Length, m	Casting weight, g	Action	Transport length, m	Sections	
PDS-662MH	1.98	7-32	Fast	1.03	2	
PDS-662MMH	1.98	5-25	Fast	1.03	2	
PDS-702MH	2.13	7-32	Fast	1.10	2	
PDS-702MMH	2.13	5-25	Fast	1.15	2	

Jig series

Model	Length, m	Casting weight, g	Action	Transport length, m	Sections	
PDS-742MH	2.24	7-32	Fast	1.16	2	
PDS-742MMH	2.24	5-25	Fast	1.16	2	
PDS-802MH	2.4	8-35	Fast	1.29	2	
PDS-802MMH	2.4	7-28	Fast	1.29	2	



SHIKARI NEW



Nautilus Shikari 2026 is a series of light - ultralight class spinning rods made of 24T+30T graphite. The line includes five rods. Three of them, with a Solid Tip, are designed for microjig fishing with high-quality visualization of the retrieve. The two remaining blanks have a Tubular top and light range tests, which expands their capabilities when working with hard lures, lead rigs and other lures.

Model	Length, m	Casting weight, g	Action	Transport length, m	Sections	
SKS-732L	2.21	3-14	Ex-Fast	1.14	2	
SKS-762ML	2.28	4-18	Ex-Fast	1.18	2	
SKS-S662UL	1.98	0.5-5	Ex-Fast	1.03	2	
SKS-S732UL	2.21	2-10	Ex-Fast	1.14	2	
SKS-S702UL	2.13	1-8	Ex-Fast	1.10	2	
SKS-TRS664UL TRAVEL	1.98	0.5-5	Ex-Fast	0.53	4	



VERONA NEW



Stream series

Model	Length, m	Casting weight, g	Action	Transport length, m	Sections	
VRS-702L	2.13	2-10	Fast	1.11	2	
VRS-732L	2.21	2-12	Fast	1.15	2	
VRS-762L	2.28	3-14	Fast	1.18	2	
VRS-842ML	2.54	3-16	Fast	1.15	2	
VRS-862ML	2.59	4-18	Fast	1.33	2	
VRS-902ML	2.74	4-18	Fast	1.4	2	

Jig series

Model	Length, m	Casting weight, g	Action	Transport length, m	Sections	
VRS-S782L	2.33	0.8-10	Fast	1.2	2	
VRS-S802L	2.44	2-14	Fast	1.26	2	

Nautilus Verona 2026 - modern long-range spinning rods in the light and medium light classes are now lighter and more technologically advanced. Updated design, improved fittings and smaller guide inserts have increased sensitivity and casting distance.



VERONA ASP NEW



Nautilus Verona ASP 2026 is the evolution of long-range gear for catching cautious large fish. The updated design and smaller guide inserts increase sensitivity and lightness, while maintaining the signature balance of power and precision. Modern materials and fittings provide ergonomics and casting range, making every fishing trip even more effective.

Model	Length, m	Casting weight, g	Action	Transport length, m	Sections	
VRAPS-1002MH	3.05	7-35	Fast	1.61	2	
VRASP-862M	2.59	5-25	Fast	1.35	2	
VRASP-902MH	2.74	7-35	Fast	1.43	2	
VRAPS-962M	2.93	5-28	Fast	1.53	2	
VRAPS-962MH	2.93	10-42	Fast	1.53	2	



NAUTILUS

FUGU NEW



Nautilus Fugu 2026 - assembled on light and sonorous fast action blanks made of graphite 24T + 30T + 36T. Equipped with anti-twist rings and an ergonomic reel seat. It is necessary to note the wide versatility of the rods: they cope perfectly with hard lures, when catching chub on large rivers using a light jig and a variety of lead rigs.

Model	Length, m	Casting weight, g	Action	Transport length, m	Sections	
FGS-722UL	2.18	0.5-8	Fast	1.13	2	
FGS-762L	2.28	0.6-10	Fast	1.18	2	
FGS-782L	2.33	0.6-10	Fast	1.20	2	
FGS-802L	2.44	0.6-12	Fast	1.26	2	
FGS-TR764L TRAVEL	2.28	0.6-10	Fast	0.61	4	



FURYOSA NEW



Nautilus Furyosa 2026 is a line of 24T graphite spinning rods designed for Stream fishing for white predators - chub, asp, trout and other types of fish. The model is characterized by easy, long-distance casting and the ability to control stubborn spinners and crank-type hard lures. Lightweight and balanced rods for beginner anglers and advanced chub fishermen.

Model	Length, m	Casting weight, g	Action	Transport length, m	Sections	
FRYS-702UL	2.13	0.5-7	Fast	1.12	2	
FRYS-742UL	2.23	0.5-8	Fast	1.16	2	
FRYS-762L	2.28	0.6-10	Fast	1.18	2	
FRYS-792L	2.36	1-12	Fast	1.23	2	
FRYS-802L	2.44	2-16	Fast	1.31	2	
FRYS-822ML	2.5	3-18	Fast	1.34	2	



CROSSBLADE NEW



Nautilus Crossblade 2026 - we present to you the restyling of the Crossblade II model. The rods have retained all their properties and characteristics already known to anglers. Reliability, availability, functionality. At the same time, the new version uses a carbon braided blank, the overall design of the rod has changed, and the case has become even more functional and convenient. The price and availability for the widest range of fishing enthusiasts have been maintained.

Model	Length, m	Casting weight, g	Action	Transport length, m	Sections	
CBS-702ML	2,14	7-21	Fast	1,12	2	
CBS-722M	2,19	5-24	Fast	1,15	2	
CBS-742MH	2,24	7-32	Fast	1,17	2	
CBS-762H	2,28	10-39	Fast	1,20	2	
CBS-762M	2,28	5-25	Fast	1,20	2	
CBS-802MH	2,44	7-28	Fast	1,28	2	



GAMORA NEW



Nautilus Gamora 2026 - budget ultralight and light spinning rods with fast action.

The updated series has retained all the key advantages: a lightweight blank with a powerful butt and excellent sensory properties. They have become more technologically advanced due to improved fittings and modern design. The ideal balance of price and quality for demanding fishing

Model	Length, m	Casting weight, g	Action	Transport length, m	Sections	
GMS-702UL	2.13	0.5-7	Fast	1.10	2	
GMS-762UL	2.28	0.5-7	Fast	1.18	2	
GMS-792L	2.36	0.6-10	Fast	1.22	2	
GMS-S702UL	2.13	0.5-7	Fast	1.10	2	



NAUTILUS

SIGNATURE VP NEW



Nautilus Signature Feeder 2026 is a new, top-of-the-line line of feeder rods from Nautilus, created together with the leading sports fisherman Vladimir Pavlishchev. It is presented in 7 models, each of which has its own purpose and is suitable for certain conditions and types of fishing.

The rods are made in a classic design, equipped with anti-tip rings, equipped with 3 interchangeable carbon quiver tips, 650 mm long and a seat diameter of 3.4 mm.

The 4 and 5 Oz quivertypes have larger diameter rings. The handle is made of EVA, ergonomically shaped, optimally suited for tempo fishing. For greater convenience, a hookkeeper is installed on the forms. The rods are supplied with a stylish case with a Velcro fastener. Rod tests are indicated by the weight of the feeders and equipment used, and have a reserve for the weight of the bait. The entire line is aimed at both amateur and sport fishing.

Model	Length, m	Casting weight, g	Transport length, m	Sections	
NSVP12ML	3.60	70+	1.28	3+3	
NSVP12M	3.60	90+	1.28	3+3	
NSVP12MMH	3.60	100+	1.28	3+3	
NSVP13M	3.90	90+	1.38	3+3	
NSVP13MMH	3.90	100+	1.38	3+3	
NSVP13MH	3.90	120+	1.38	3+3	
NSVP13H	3.90	140+	1.38	3+3	

3.6 to 70 - the lightest model in the line, for fishing at short and medium distances, in reservoirs without a current or with a weak current. 3.6 to 90 - a universal model that allows you to use heavy bait feeders and fish in medium-current reservoirs.


3.6 to 100 - the most powerful model in the 3.6 length. Optimally suited for fishing on rivers, it has a pronounced rigid action.

3.9 to 90 - a model designed for fishing with method feeders on commercial reservoirs.

3.9 to 100 - a fairly rigid rod for long distances on reservoirs without current, and has also proven itself well on rivers.

3.9 to 120 - a rigid, powerful rod for rivers with strong currents and long casts.

3.9 to 140 - a distinct river rod, for large fish and the heaviest possible equipment.



HARISMA CARP NEW



Nautilus Charisma carp 2026 - new positions in the line of Charisma carp rods and reels. In 2026 we present classic two-piece and three-piece rods in the most popular tests and lengths. The line also includes a bait (spod) rod. All models in the line are lightweight, high-quality SIC guides, and a reliable reel seat. A 50mm entry ring and an anti-tip tip guide, combined with a fast action, ensure comfortable and trouble-free casting. The rods are equipped with a high-quality nylon case.

Model	Length, m	Test curve, lb	Transport length, m	Sections	
NHR12352	3.6	3.5	1.87	2	
NHR13352	3.9	3.5	1.87	2	
NHR13522 SPOD	3.9	5	1.87	2	
NHR12353	3.6	3.5	1.37	3	
NHR13353	3.9	3.5	1.37	3	





CROSSBLADE ICE NEW

Nautilus Crossblade Ice 2026 is a new product for the winter season 2025 - 2026 from Nautilus. The model range is presented in the widest range of lengths and tests, for various types and types of baits. The rods are made in both single-piece and two-piece versions, making them as convenient as possible for transportation and preparation for fishing. The entire presented line is made for a pistol grip and has a comfortable and ergonomic EVA handle, which adds special comfort when fishing and allows you to control the bait as efficiently as possible without feeling tired. The rods are equipped with a practical and convenient case, and the set is equipped with a case and a reliable tube.

Model Length, m	Casting weight, g	Power Transport length, m	Sections	
CBI-76ML	76	25	ML	0,59
CBI-76M	76	35	M	0,59
CBI-76MH	76	50	MH	0,59
CBI-76H	76	60	H	0,59
CBI-76XH	76	80	XH	0,59
CBIC-76Combo	76	25-60	Combo	0,59

*Combo version comes with a fabric case and tube



CROSSBLADE ICE SINGLE NEW



*Supplied in a fabric case

Model Length, m	Casting weight, g	Power Transport length, m	Sections	
CBIS-72ML	72	25	ML	0.72
CBIS-72M	72	35	M	0.72
CBIS-72MH	72	50	MH	0.72
CBIS-72H	72	60	H	0.72
CBIS-72XH	72	80	XH	0.72

