

NAUTILUS

Rods & Reels.

CONTENTS:

Spinning reels	Every	18	Carp reels	Troutezza	47	Float rods	
	Orka NEW	19	Epica Carp NEW	Asper NEW	48	Crocus Bolo	60
Twin Force HD	Muramasa NEW	19	Tournament Elisium Carp NEW	Verona	48	Astra Bolo	60
Twin Force PG NEW	Butler	20	Invent Carp Conquest	Verona ASP	48	Musson Power Bolo	61
Xeptor NEW	Faith	20	Invent Pro	Fugu	49	Neon Bolo	61
I'zi	Scat NEW	21	Distanza Carp	Furyosa	49	Ase Bolo	62
Arta	Step	21	Total Carp	Fortezza	50	Rain Mini	62
Arta CP				Trout Spirit	50	Neon Pole	63
Atoll NEW	Feeder reels		Ice fishing reels	Violento	51	Sou Pole	63
Avior	Epica Heavy Method NEW	22	Ice Game Black	Micro Baits	51		
Avior PG	Advent Pro Feeder NEW	22	Land Winter	Monster Pike	52	Ice rods	
Avior CP	Atoll Feeder NEW	23		Ant	53	Ice King	64
Mark Pro	Tank BR NEW	23	spinning rods	Nimfa	53	Lira	65
Slait NEW	Avior Feeder NEW	24	Grinder Jig NEW	Legally NEW	54	Freez	65
Paradox NEW	Kepler NEW	24	Imperial				
Fire	Aurora Feeder NEW	25	Eco'izm	Feeder rods			
Lux NEW	Aurora Match NEW	25	Eco'izm MJ	Zenon Feeder	55		
Della NEW	Grey Feeder NEW	26	Eco'izm LT	Total Short Feeder	56		
Land	Argent Feeder NEW	26	Xeptor	N/Feed	56		
Land LM NEW	Zenon Feeder	27	Invent	Lost Master Feeder	57		
Grey NEW	N-Feed	27	Shikari	Digger Feeder	57		
Verona NEW	Forward Feeder	28	Crossblade II	Butler Feeder	58		
Racer	Rezon Feeder NEW	28	Gamora	Magger Feeder	58		
Mark	Deka Feeder NEW	29	Shock				
Argent NEW	Digger Feeder	29	Grinder	Carp rods			
Crony	Orka Feeder NEW	30	Basstard	K10	59		
Legally	Total Feeder	30	Paradox	T-Air	59		



TECHNOLOGIES USED




AIR BAIL - hollow, lightweight bail of the line laying mechanism



SUPER SLOW OSCILLATION - ultra-slow spool movement system



QUICK DRAG - system for quick adjustment of the drag



WORM SHAFT - kinematic scheme using an worm shaft?



AIR ROTOR - a system using a special design of a lightweight and balanced rotor




ANTITWIST ROLLER - line laying mechanism that prevents line twisting



POWER GEAR - system for increasing power and traction characteristics



ARC LIGHT SPOOL - lightweight spool with a beveled collar, which increases casting distance




SCREW IN THE HANDLE - screw-in handle



X-SHIP - increased reliability and durability of the mechanism due to the location of bearings in the main gearbox



SIMPLE & AVAILABLE - simple and reliable reel



LONG CAST SPOOL - a special spool shape designed for ultra-long casting



HYBRID BODY - combined, hybrid body. Aluminum + Carbon



POWER HANDLE - reinforced design and enlarged reel handle arm



HIGH RELIABILITY - high reliability and practicality



WIDE CHOICE - wide selection of spool models and sizes



LIGHTWEIGHT knob - lightweight, high-tech knob



SUPER LIGHT CARBON HANDLE - reel handle made of high-strength and lightweight carbon fiber



SUPER LIGHT CARBON ROTOR - the reel rotor is made of high-strength and lightweight carbon fiber



SUPER LIGHT CARBON BODY - reel body made of high-strength and lightweight carbon fiber

TWIN FORCE HD NEW



Nautilus Twin Force HD - high-quality spinning reels. The kinematic design with an 'worm shaft' ensures perfect line laying. The screw-in handle and bearing in the line roller are a distinctive feature of modern high-end models. The improved geometry of the main pair and the rigid graphite case ensure quiet and easy operation of the mechanism. The range of reels is aimed at jig fishing, twitching large hard lures, and sea fishing.

TWIN FORCE PG NEW



Nautilus Twin Force PG is a continuation of the Twin force reel line from Nautilus. Having retained all the advantages and advantages of Twin force HD in kinematics, technologies and materials used, PG-type reels have become even more powerful and high-torque. Available in two sizes 3500 and 4000. The applied gear ratio of 4.6:1 provides an ideal balance of reliability and power when fishing with classic jigs with heavy equipment, and also goes well with powerful rods for Swimbaits and Bigbaits.



Size	Bearings	Gear ratio	Line capacity PE/m	Line capacity mm/m	Weight, g	
3500	6+1	5.2: 1	1.5/250	0.28/150	300	
4000	6+1	5.2: 1	2.0/300	0.30/200	305	




Size	Bearings	Gear ratio	Line capacity PE/m	Line capacity mm/m	Weight, g	
3500	6+1	4.6: 1	1.5/250	0.28/150	300	
4000	6+1	4.6: 1	2.0/300	0.30/200	305	

XEPTOR NEW



Nautilus Xeptor is a series of high-level spinning reels. The materials and technologies used made it possible to achieve easy and smooth operation of the mechanism. Also, during development, we paid great attention to the reliability and 'indestructibility' of the reels, their durability and strength.



Size	Bearings	Gear ratio	Line capacity mm/m	Weight, g
1000	7+1	5.1: 1	0.15/180 0.18/140 0.20/120	205
2000	7+1	5.0: 1	0.18/240 0.20/200 0.25/140	265
2500	7+1	5.0: 1	0.22/180 0.25/160 0.28/140	260
2500S	7+1	5.0: 1	0.16/150 0.18/120 0.20/100	260
3000	7+1	5.0: 1	0.20/240 0.25/200 0.30/140	260
3000S	7+1	5.0: 1	0.20/150 0.22/120 0.25/90	275
4000	7+1	4.6: 1	0.30/200 0.35/160 0.40/120	370

I'ZI



I'zi is a line of stylish, lightweight and modern reels from Nautilus. A distinctive feature of this series is the gear ratio of the mechanism 4.6:1. A lightweight carbon handle and knob make it easier to start the reel when rotating, and a bearing in the line roller ensures its reliable operation and prevents this unit from jamming.



Size	Bearings	Gear ratio	Line capacity mm/m	Weight, g
2000PG	6+1	4.6: 1	0.14/200 0.16/180 0.18/150	200
2000PGS	6+1	4.6: 1	0.14/150 0.16/130 0.18/100	204

ARTA




Nautilus Arta is the best line of spinning reels in the Nautilus range. The series is available in four sizes, including a small spool version 2500S. It has a full range of technical solutions and qualities inherent in its own high class and level.


ARTA CP



Nautilus Arta CP is a popular and logical addition to the Arta line. The reel is available in size 4000 and is distinguished by its reduced gear ratio and its stylish, individual design. The gear ratio of 4.8:1 provides increased traction characteristics of the reel, and at the same time allows you to quickly select the line when fishing on the shore, or when fishing by twitching. These models are perfect for shore and boat jig fishing fishing and twitching large hard lures.



Size	Bearings	Gear ratio	Line capacity PE/m	Line capacity mm/m	Weight, g
2500	6+1	5.3: 1	1.2/150	0.20/140 0.22/120	255
2500S	6+1	5.3: 1	0.6/150	0.14/140 0.22/120	260
3000	6+1	5.3: 1	1.5/150	0.22/140 0.25/115	260
4000	6+1	5.3: 1	1.5/170	0.25/130 0.29/110	270



Size	Bearings	Gear ratio	Line capacity PE/m	Weight, g
4000	7+1	4.8: 1	0.15/170	200

ATOLL NEW



Atoll is a line of technologically advanced and modern spinning reels from Nautilus. A wide range of models, combined with excellent technical characteristics, makes this model the most in demand and popular when choosing a set for various types of fishing.



Size	Bearings	Gear ratio	Line capacity mm/m	Weight, g
1000	7+1	5.2: 1	0.15/260 0.20/150	220
2000	7+1	5.2: 1	0.20/270 0.25/180	250
2500	7+1	5.2: 1	0.20/260 0.25/165	260
2500S	7+1	5.2: 1	0.20/180 0.25/115	260
3000	7+1	5.2: 1	0.25/230 0.30/160	260
3000S	7+1	5.2: 1	0.20/140 0.25/90	260
4000	7+1	5.2: 1	0.30/185 0.35/135	265
5000	7+1	4.6: 1	0.30/200 0.35/160 0.40/120	370

AVIOR



Nautilus Avior is a reel made in an aluminum body, which makes it even more reliable and durable. The use of metal as a housing material allows minimizing gaps and play in the mating parts, reducing extraneous noise and making the reel move smooth and quiet. The screw-in handle eliminates play and transmits rotation directly to the main pair. A roller rotating on a bearing prevents the line or braided braid from twisting.



Size	Bearings	Gear ratio	Line capacity PE/m	Line capacity mm/m	Weight, g
2500	5+1	5.3: 1	1.2/150	0.20/140 0.22/120	250
3000	5+1	5.3: 1	1.5/150	0.22/140 0.25/115	255
4000	5+1	5.3: 1	1.5/170	0.25/130 0.285/110	260

NAUTILUS

AVIOR PG




Nautilus Avior PG is a popular and logical addition to the Avior reel lines. The reels are available in size 4000 and are distinguished by their reduced gear ratio and their stylish, individual design. The gear ratio of 4.3:1 provides increased traction characteristics of the reel, and at the same time allows you to quickly select the line when fishing on the shore, or when fishing by twitching. These models are perfect for shore and boat jig fishing and twitching large hard lures.

AVIOR CP




Nautilus Avior CP is a popular and logical addition to the Avior reel line. They are distinguished by a reduced gear ratio of the mechanism and their stylish, individual design.

The gear ratio of 4.8:1 provides increased traction characteristics of the reel, and at the same time allows you to quickly select the line when fishing on the shore, or when fishing by twitching. These models are perfect for shore and boat jig fishing and twitching large hard lures.



Size	Bearings	Gear ratio	Line capacity PE/m	Weight, g
4000		4+1	4.3: 1	1.5/170
				265



Size	Bearings	Gear ratio	Line capacity PE/m	Weight, g
4000		4+1	4.8: 1	1.5/170
				200

MARK PRO



Mark pro is a line of lightweight reels from Nautilus. Available in two sizes: 2000 and 2000S. This ensures their wide range of uses and applications. The reel body is made of lightweight and durable carbon fiber, and six high-quality bearings and a screw-in handle ensure comfortable operation without backlash or unnecessary sounds.



Size	Bearings	Gear ratio	Line capacity PE/m	Line capacity mm/m	Weight, g
2000	6+1	5.1: 1	0.8/150	0.14/200 0.16/180	195
2000S	6+1	5.1: 1	0.4/150	0.14/150 0.16/130	200

SLAIT NEW



Nautilus Slait is a new product in the Nautilus range. Thanks to modern technical solutions and the materials used, it runs smoothly and quietly. The body of the model is made of graphite material. It has sufficient strength and reliability. Classic size range for selecting modern spinning sets.



Size	Bearings	Gear ratio	Line capacity PE/m	Line capacity mm/m	Weight, g
2000	5+1	4.6: 1	0.4/150	0.14/150 0.16/130	230
2500	5+1	4.6: 1	1.2/150	0.20/140 0.22/120	235
3000	5+1	4.6: 1	1.5/150	0.22/140 0.25/115	250
4000	5+1	4.6: 1	1.5/170	0.14/260 0.16/240	255

NAUTILUS

PARADOX NEW



Nautilus Paradox is a popular and in demand line of reels. The body of the model is made of graphite material. It has sufficient strength and reliability. Classic size range for selecting modern spinning sets.

FIRE



Nautilus Fire - has absorbed all the advantages of the best models of spinning reels, their beauty and functionality. The screw-in handle, bearing in the line roller and impeccable running combine perfectly with a very affordable price.



Size	Bearings	Gear ratio	Line capacity mm/m	Weight, g
2000	2+1	5.2: 1	0.20/250 0.23/190	235
2500	2+1	5.2: 1	0.22/180 0.25/160	255
3000	2+1	5.2: 1	0.25/250 0.30/180	245
4000	2+1	5.2: 1	0.25/320 0.30/230	250



Size	Bearings	Gear ratio	Line capacity mm/m	Weight, g
2000	6+1	5.1: 1	0.141/180 0.162/160	255
2500	6+1	5.1: 1	0.205/140 0.221/120	280
3000	6+1	5.1: 1	0.221/140 0.247/115	295
4000	6+1	5.1: 1	0.285/200 0.305/180	270

LUX NEW



Lux is a new spinning reel for the 2024 season. In addition to design solutions, a number of modern trends are used in the reels, including a reduced gear ratio of 4.6:1 and a modified version of the overrunning clutch, without a reverse stop flag. Thanks to such technical solutions, the reels have increased traction, which is indispensable for jig fishing, and reliable operation of the overrunning clutch in winter spinning fishing conditions.



Size	Bearings	Gear ratio	Line capacity PE/m	Line capacity mm/m	Weight, g	
2000	4+1	4.6: 1	0.4/150	0.14/150 0.16/180	235	
2500	4+1	4.6: 1	1.2/150	0.20/140 0.22/120	240	
3000	4+1	4.6: 1	1.5/170	0.22/140 0.25/115	260	
4000	4+1	4.6: 1	1.5/200	0.14/260 0.16/240	260	

DELLA NEW



Della is a new product in the range of spinning reels from Nautilus. Thanks to modern technical solutions and the materials used, it runs smoothly and quietly. The optimally selected arrangement of 4 bearings on the main pair contributes to its reliable operation, and the bearing in the line roller prevents the line or braid from twisting. The reduced gear ratio of 4.6:1 allows you to use these reels when fishing with classic jigs, as well as with stubborn spinners and hard lures.



Size	Bearings	Gear ratio	Line capacity PE/m	Line capacity mm/m	Weight, g	
2000	5+1	4.6: 1	0.6/150	0.14/160 0.16/140	230	
2500	5+1	4.6: 1	1.2/150	0.20/140 0.22/120	225	
3000	5+1	4.6: 1	1.5/170	0.14/260 0.16/240	250	
4000	5+1	4.6: 1	1.5/200	0.16/270 0.18/250	255	



Land - lightweight reels in the Nautilus range. Six high-quality bearings ensure easy and quiet operation of the mechanism. The bearing in the line roller and the knob of the handle contribute to an even more comfortable feeling from the fishing tackle.



Land LM is a new design for a popular and sought-after model. Ideally matches modern rods and the general style of urban fishing.



Size	Bearings	Gear ratio	Line capacity PE/m	Line capacity mm/m	Weight, g
500	6+1	5.4: 1	0.4/150	0.14/150 0.16/120	170
800	6+1	5.4: 1	0.8/150	0.14/200 0.16/180	180




Size	Bearings	Gear ratio	Line capacity PE/m	Line capacity mm/m	Weight, g
500	6+1	5.4: 1	0.4/150	0.14/150 0.16/120	170
800	6+1	5.4: 1	0.8/150	0.14/200 0.16/180	180

GREY NEW



Gray - in the 2024 season, Nautilus introduces a new range of reels, consisting of four standard sizes of the spinning direction and one feeder model. All feature a lightweight screw-in handle, machined aluminum spool and hollow line guide. A well-thought-out arrangement of bearings implies their installation in the most necessary places and structural elements, including the knob, spool and line roller.



Size	Bearings	Gear ratio	Line capacity PE/m	Line capacity mm/m	Weight, g
2000	7+1	5.3: 1	0.6/150	0.14/160 0.16/140	210
2500	7+1	5.3: 1	1.2/150	0.20/140 0.22/120	270
3000	7+1	5.3: 1	1.5/150	0.22/140 0.25/115	280
4000	7+1	5.3: 1	1.5/170	0.25/130 0.285/90	285

VERONA NEW



Nautilus Verona - stylish and modern spinning reels. Affordable price and functionality. Wide range of sizes and possibilities of use with various rods.



Size	Bearings	Gear ratio	Line capacity mm/m	Weight, g
1000	3+1	5.1: 1	0.15/180 0.18/140 0.20/120	195
2000	3+1	5.0: 1	0.35/200 0.40/160 0.45/120	250
2500	3+1	5.0: 1	0.22/180 0.25/160 0.28/140	250
2500S	3+1	5.0: 1	0.16/150 0.18/120 0.20/100	260
3000	3+1	5.0: 1	0.20/240 0.25/200 0.30/140	255
3000S	3+1	5.0: 1	0.20/150 0.22/120 0.25/90	265
4000	3+1	4.6: 1	0.30/200 0.35/160 0.40/120	350



NAUTILUS

RACER

MARK



Nautilus Racer is a line of reels from Nautilus that implement the most modern requirements and characteristics. Excellent ergonomics and design, comfortable, lightweight handle with various knob options. Increased spool height and wide chamfer for better line release. Very smooth and quiet running.



Nautilus MARK - reels with a bright, attractive design, primarily designed for fishing with thin lines. They have a high-quality winding profile out of the box, a finely adjustable clutch and a fairly light weight.



Size	Bearings	Gear ratio	Line capacity PE/m	Line capacity mm/m	Weight, g	
2000	5+1	5.1: 1	0.8/151	0.14/180 0.16/160	250	
2500	5+1	5.1: 1	1.2/151	0.20/140 0.22/120	275	
3000	5+1	5.1: 1	1.5/151	0.22/140 0.25/115	285	
4000	5+1	5.1: 1	2.0/246	0.285/200 0.305/180	280	




Size	Bearings	Gear ratio	Line capacity PE/m	Line capacity mm/m	Weight, g	
2000	6+1	5.1: 1	0.4/150	0.14/150 0.16/130	245	
2500	6+1	5.1: 1	0.6/150	0.14/160 0.16/140	250	
3000	6+1	5.1: 1	0.8/150	0.14/180 0.16/160	260	
4000	6+1	5.1: 1	1.5/170	0.14/260 0.16/240	255	

ARGENT NEW



Nautilus Argent is a series of spinning reels with a wide range of models. The reels stand out for their easy and quiet running. A reliable mechanism ensures smooth operation and high-quality winding of line or braid. The model range allows you to choose your size for any spinning rod, and not only.



Size	Bearings	Gear ratio	Line capacity mm/m	Weight, g	
1000	3+1	5.1: 1	0.15/180 0.18/140 0.20/120	200	
2000	3+1	5.0: 1	0.35/200 0.40/160 0.45/120	250	
2500	3+1	5.0: 1	0.22/180 0.25/160 0.28/140	250	
2500S	3+1	5.0: 1	0.16/150 0.18/120 0.20/100	250	
3000	3+1	5.0: 1	0.20/240 0.25/200 0.30/140	255	
3000S	3+1	5.0: 1	0.20/150 0.22/120 0.25/90	255	
4000	3+1	4.6: 1	0.30/200 0.35/160 0.40/120	365	
5000	3+1	4.6: 1	0.35/200 0.40/160 0.45/120	365	

CRONY



Nautilus Crony - Classic shape and minimalist design, this is the overall style of the Nautilus Crony reels. A line of modern reels, with all the necessary characteristics. You can use these reels with spinning rods of varying power, from light rods for perch fishing to fairly powerful jig spinning rods for large rivers.



Size	Bearings	Gear ratio	Line capacity PE/m	Line capacity mm/m	Weight, g	
2000	5+1	5.1: 1	0.8/150	0.14/180 0.16/160	250	
2500	5+1	5.1: 1	1.2/150	0.20/140 0.22/120	275	
3000	5+1	5.1: 1	1.5/150	0.20/140 0.22/120	285	
4000	5+1	5.1: 1	2.0/245	0.28/200 0.30/180	280	

NAUTILUS LEGALLY



Nautilus Legally are high-quality and inexpensive reels, the size range of which is perfect for equipping various rods. You can use 2000-thousandth size for Bologna, 2500-3000 for spinning rods, and size 6000 will be in demand for powerful, power, bottom tackle, and a variety of conditions.

EVERY



Nautilus Every is a reliable and inexpensive reel option for everyone. All the advantages of older models are movement, absence of extra play and high-quality winding. This reel can be both the beginning of your journey into fishing and a reliable companion for a long time.



Size	Bearings	Gear ratio	Line capacity PE/m	Line capacity mm/m	Weight, g	
2000	6+1	5.1: 1	0.8/150	0.14/180 0.16/160	270	
2500	6+1	5.1: 1	1.2/150	0.20/140 0.22/120	280	
3000	6+1	5.1: 1	1.5/150	0.20/140 0.22/120	275	
4000	6+1	5.1: 1	2.0/245	0.28/200 0.30/180	365	




Size	Bearings	Gear ratio	Line capacity PE/m	Line capacity mm/m	Weight, g	
2000	3+1	5.1: 1	0.8/150	0.14/180 0.16/160	250	
2500	3+1	5.1: 1	1.2/150	0.20/140 0.22/120	275	
3000	3+1	5.1: 1	1.5/150	0.20/140 0.22/120	285	
4000	3+1	5.1: 1	2.0/245	0.28/200 0.30/180	280	

ORKA NEW



Nautilus Orka - the size range of this new product consists of five reel models. The main purpose is to use it with spinning, float, bottom and other rods.

MURAMASA NEW



Nautilus Muramasa is a dedicated line of reels and rods for fishermen who value tradition and the development of modern fishing culture. Classic name and stylish design. The widest possibilities and options for used styles and baits. Reliability and availability. These are the main characteristics for all models of the Muramasa reel line.



Size	Bearings	Gear ratio	Line capacity PE/m	Line capacity mm/m	Weight, g	
2000	4+1	5.0: 1	0.6/150	0.14/160 0.16/140	225	
2500	4+1	5.0: 1	1.2/150	0.20/140 0.22/120	220	
3000	4+1	5.0: 1	1.5/170	0.14/260 0.16/240	240	
6000	4+1	5.0: 1	1.5/200	0.16/270 0.18/250	255	



Size	Bearings	Gear ratio	Line capacity PE/m	Line capacity mm/m	Weight, g	
2000	5+1	5.2: 1	0.4/150	0.14/150 0.16/160	210	
2500	5+1	5.2: 1	1.2/150	0.20/140 0.22/120	270	
3000	5+1	5.2: 1	1.5/150	0.14/140 0.16/115	290	
4000	5+1	5.2: 1	1.5/170	0.14/260 0.16/240	285	

NAUTILUS

BUTLER



Nautilus BUTLER - reels for many types of fishing. They have a high-strength body, an aluminum spool, an Anti-revers system and a smooth ride. To prevent damage to the line or braided line, the line rollers of all models are coated with titanium nitride.



Size	Bearings	Gear ratio	Line capacity mm/m	Weight, g
500	4+1	4.2: 1	0.16/105 0.18/85 0.20/70	155
1000	4+1	5.4: 1	0.20/180 0.25/115 0.28/90	200
1500	4+1	5.4: 1	0.20/200 0.25/130 0.28/110	200
2000	4+1	5.4: 1	0.20/235 0.25/150 0.28/120	205
2500	4+1	5.2: 1	0.25/160 0.28/125 0.30/110	260
3000	4+1	5.2: 1	0.28/175 0.30/155 0.35/115	265
3500	4+1	4.4: 1	0.28/180 0.30/160 0.35/120	335
4000	4+1	4.4: 1	0.30/200 0.35/130 0.40/100	340

FAITH



Nautilus Faith - affordable and reliable reels. Can be used in various conditions, on many types of rods. They are distinguished by an interesting modern design, easy running and high-quality winding. The mechanism uses three high-quality ball bearings.



Size	Bearings	Gear ratio	Line capacity PE/m	Line capacity mm/m	Weight, g
1000	3+1	5.0: 1	0.6/150	0.14/160 0.16/140	210
2000	3+1	5.0: 1	0.8/150	0.14/200 0.16/180	215
2500	3+1	5.0: 1	1.2/150	0.20/140 0.22/120	250
3000	3+1	5.0: 1	1.5/150	0.22/140 0.24/115	260
4000	3+1	5.0: 1	2.0/245	0.28/200 0.30/180	260

SCAT-R NEW



SCAT-V



SCAT-G

Skat is a line of ultra-affordable reels from Nautilus. Available in various colors and sizes. Despite their low price, these models have increased reliability and excellent performance. They are equipped with an instant reverse stop, a folding handle and a graphite spool.



STEP



Nautilus STEP is a line of ultra-budget reels with an instant reverse stop. In the manufacture of these reels, maximum attention was paid to their functionality and reliability.



Size	Bearings	Gear ratio	Line capacity mm/m	Weight, g
1000	1+1	5.0: 1	0.18/200 0.20/160 0.25/120	205
2000	1+1	5.0: 1	0.20/180 0.25/150 0.30/120	210
3000	1+1	5.0: 1	0.25/220 0.30/150 0.35/100	240
4000	1+1	5.0: 1	0.285/200 0.33/150 0.35/120	235



Size	Bearings	Gear ratio	Line capacity mm/m	Weight, g
1000	1+1	5.0: 1	0.18/200 0.20/160 0.25/120	200
2000	1+1	5.0: 1	0.20/180 0.25/150 0.30/120	210
3000	1+1	5.0: 1	0.25/220 0.30/150 0.35/100	245
4000	1+1	5.0: 1	0.285/200 0.33/150 0.35/120	240

EPICA HEAVY METHOD NEW




Nautilus Epica Heavy Method is a high-level feeder reel with an excellent set of technical characteristics. Kinematic system 'worm shaft', screw-in metal handle, slow spool feed system, bearing in the line roller. Excellent for equipping light carp or feeder rods for method fishing. Thanks to the size of the spool and powerful mechanism, it allows you to make long casts and work with heavy feeders and equipment.

ADVENT PRO FEEDER NEW



Nautilus Advent Pro Feeder is a feeder reel, the mechanism of which is made according to the 'worm shaft' scheme. It is equipped with a lightweight metal handle that is screwed into the main pair. The bearing in the line roller is responsible for the flawless operation of this unit. Compatible with any feeder rods. It has proven itself excellent in sport fishing.



ROLLER Size Bearings Gear ratio Line capacity mm/m Weight, g				
Size Bearings	Gear ratio	Line capacity mm/m	Weight, g	
6000S	9+1	4.6: 1	0.22/220 0.25/150 0.30/110	515
6000	9+1	4.6: 1	0.30/290 0.35/240 0.40/160	525



ROLLER Size Bearings Gear ratio Line capacity mm/m Weight, g				
Size Bearings	Gear ratio	Line capacity mm/m	Weight, g	
4500	7+1	4.6: 1	0.20/200 0.25/130 0.30/105	385
5000	7+1	4.6: 1	0.25/450 0.30/320 0.35/230	390
5000S	7+1	4.6: 1	0.20/300 0.25/200 0.30/130	385

ATOLL FEEDER NEW



Atoll feeder - feeder reels in the Atoll line. Maximum thought out and adapted for feeder fishing. They feature a reduced gear ratio of 4.6:1, for comfortable work with heavy equipment. Smooth and high-quality adjustment of the clutch allows you to use the thinnest leashes. The model range allows you to choose the size of the spool for different diameters of fishing lines and braided lines used.



Size	Bearings	Gear ratio	Line capacity mm/m	Weight, g
5000S	7+1	4.6: 1	0.20/260 0.25/165	375
5000	7+1	4.6: 1	0.25/310 0.30/215	375

TANK BR NEW



Tank br is new for the 2024 season. Made according to the kinematic scheme of the mechanism with the Baitrunner system. Available in 2 sizes 6000 and 6000S and a classic design, most suitable for carp and feeder fishing. Despite the rather complex layout and a large number of additional mechanism elements, the reels are phenomenally reliable and trouble-free for your fishing trips.



Size	Bearings	Gear ratio	Line capacity mm/m	Weight, g
6000	7+1	4.6: 1	0.25/350 0.30/240 0.35/170	480
6000S	7+1	4.6: 1	0.20/300 0.25/200 0.30/130	485

AVIOR FEEDER NEW



The Avior Feeder 4000 and 6000 are the long-awaited and sought-after continuation in the popular and reliable Avior line of reels. These models combine all the advantages of the spinning line, and at the same time have the main characteristics of modern feeder reels: a reduced gear ratio of the mechanism, a small aluminum spool of increased diameter, a safe clip with protection from abrasion of the line or braid, a bearing in the handle knob. Thanks to their technical and stylistic solutions, these reels are perfect for equipping feeder rods of any power class, regardless of their price.

KEPLER NEW



Nautilus Kepler is a mid-price feeder reel, available in two sizes for different types of bottom fishing. Can be used with both braided braid and monofilament. It is equipped with a screw-in handle, a lightweight aluminum spool, and a bearing in the line roller.



Size	Bearings	Gear ratio	Line capacity mm/m	Weight, g
4000S	6+1	4.3: 1	0.20/130 0.22/115 0.25/100	270
6000S	6+1	4.9: 1	0.22/180 0.25/150 0.29/120	395



Size	Bearings	Gear ratio	Line capacity mm/m	Weight, g
5000S	7+1	4.6: 1	0.20/220 0.25/140 0.3/95	400
5000	7+1	4.6: 1	0.20/420 0.25/270 0.3/185	385

AURORA FEEDER **NEW**



Nautilus Aurora Feeder is a modern feeder reel, 4000-thousand size. It has an increased spool diameter, a finely adjustable clutch, and a convenient safe clip. Suitable for equipping Light and Medium class feeder rods. Due to its weight, it goes well with light picker rods.

AURORA MATCH **NEW**



Nautilus Aurora Match is a match reel with a larger spool diameter and a higher gear ratio of 6.0:1. Made in a classic, modern design. It has a soft stroke, a comfortable turned handle with an ergonomic knob. The bearing in the line roller ensures reliable operation of the unit and prevents the line from twisting. The reel is designed for use with match Bolognese and feeder rods.



Size	Bearings	Gear ratio	Line capacity mm/m	Weight, g
4000		7+1	5.0: 1	0.20/220 0.25/160 0.30/130
				315



Size	Bearings	Gear ratio	Line capacity mm/m	Weight, g
4000HG		7+1	6.0: 1	0.20/220 0.25/160 0.30/130
				315

GREY FEEDER NEW



Gray Feeder - features a lightweight screw-in handle, machined aluminum spool and hollow line guide. A well-thought-out arrangement of bearings implies their installation in the most necessary places and structural elements, including the knob, spool and line roller. The Nautilus Gray feeder 6000S with a 4.7:1 gear ratio is designed for use with heavy feeder equipment.

ARGENT FEEDER NEW




Nautilus Argent Feeder - feeder reels in sizes 5000 and 6000S. Classic design, powerful and reliable mechanism, and most importantly, affordable price, make them an indispensable fishing assistant. We recommend size 6000S for use with thin lines in the current, and size 5000 goes well with line for method and classic carp fishing.



Size	Bearings	Gear ratio	Line capacity mm/m	Weight, g
6000S	7+1	4.7: 1	0.285/140 0.305/120 0.33/100	390

Size	Bearings	Gear ratio	Line capacity mm/m	Weight, g
5000	3+1	4.6: 1	0.35/200 0.40/160 0.45/120	370
6000S	3+1	4.6: 1	0.20/180 0.22/150	395



ZENON FEEDER



Nautilus Zenon Feeder - combines all the necessary qualities of modern feeder reels. The shallow Long cast spool allows you to fish at the longest distances. The reduced gear ratio adds even more power and gives the confident possibility of using heavy method, river and other feeders. And the Quick Drag fast clutch will allow you not to miss the trophy.

N-FEED



Nautilus N-Feed is a feeder reel designed for use with heavy feeders and loads. The declared line capacity allows the use of both fairly powerful lines when fishing for carp in commercial reservoirs, and thin braided lines with a minimal amount of backing. The kinematic design with six bearings ensures a smooth and soft ride. The lightweight rotor and handle are responsible for the easy start of the reel. The clutch settings allow the use of thin leashes.



Size	Bearings	Gear ratio	Line capacity mm/m	Weight, g
5000	5+1	4.4: 1	0.30/175 0.35/130 0.40/100	410
6000S	5+1	4.4: 1	0.23/200 0.28/150 0.30/175	420



Size	Bearings	Gear ratio	Line capacity mm/m	Weight, g
6000S	6+1	5.1: 1	0.30/180 0.33/155 0.356/125	405

NAUTILUS

FORWARD FEEDER



Nautilus Forward Feeder is a modern feeder reel made in black and red style, with a wide range of necessary characteristics and capabilities. Thanks to the shape of the line roller, which rotates on a bearing, it does not injure or twist the line. Demonstrates high-quality winding of thin braided lines. Allows you to use heavy equipment and make long casts.

REZON FEEDER **NEW**



Nautilus Rezon is a classic feeder reel, available in two parallel sizes. This gives a good opportunity to choose a set for certain fishing conditions, type of reservoir, and fishing style. The Nautilus Rezon 5500 model is designed for use with thin braided lines without backing. The Nautilus Rezon 6000 model is characterized by increased fishing capacity, for working with powerful lines when fishing for carp and grass carp using method equipment and standard carp rigs. The reduced gear ratio of 4.6:1 provides excellent traction characteristics of the mechanism. Bearings in the line roller and knob add even more reliability and overall comfort during fishing.



Size	Bearings	Gear ratio	Line capacity mm/m	Weight, g
5500		6+1	5.1: 1	0.285/175 0.31/155 0.33/135
				400



Size	Bearings	Gear ratio	Line capacity mm/m	Weight, g
5500		6+1	4.6: 1	0.22/180 0.247/150 0.285/120
6000		6+1	4.6: 1	0.285/200 0.30/180 0.33/160
				370
				365

DEKA FEEDER NEW



Nautilus Deka is a new product in the 2024 line from the Nautilus brand. Classic feeder size, small-profile aluminum spool, safe clip that does not damage the line or braid - these are the main and necessary characteristics of modern feeder reels. The reliable mechanism and 4.6:1 gear ratio guarantee increased traction characteristics and comfort when working with heavy feeders.

DIGGER FEEDER



Nautilus Digger Feeder is a modern feeder reel from the Nautilus company. Available in size 6000. Due to the reinforced mechanism and increased spool diameter, excellent work with heavy equipment at long distances is ensured.



Size	Bearings	Gear ratio	Line capacity mm/m	Weight, g
5500	5+1	4.6: 1	0.22/180 0.25/150 0.285/120	360



Size	Bearings	Gear ratio	Line capacity mm/m	Weight, g
6000	7+1	4.7: 1	0.28/300 0.30/250 0.35/200	390

ORKA FEEDER NEW



Nautilus Orka Feeder - has a larger mechanism, a small, large-diameter spool, and a reduced gear ratio of 4.7:1.

TOTAL FEEDER




Nautilus Total Feeder is a budget reel for feeder fishing. It is made in a classic design, has a durable body and an ergonomic handle. The reel mechanism is characterized by a smooth running, for which 4+1 bearings are responsible. It also has good traction. The Smooth Drag System allows you to precisely adjust the braking force. The mechanism is equipped with a reliable Tough Alloy Processing (TAP) main gear. There is also an instant reverse stop.



Size	Bearings	Gear ratio	Line capacity mm/m	Weight, g
5500		4+1	4.7: 1	0.14/260 0.16/240 0.18/210
				365




Size	Bearings	Gear ratio	Line capacity mm/m	Weight, g
3000S		4+1	5.2: 1	0.25/185 0.28/150 0.30/130
4000S		4+1	4.4: 1	0.25/185 0.28/150 0.30/130
				275
				360



EPICA CARP NEW



Nautilus Epica Carp is a series of carp reels of the highest level. Kinematic system "worm shaft", screw-in metal handle, slow spool feed system, bearing in the line roller. The reels are made in two versions, to equip working and spod rods. The increased gear ratio of the Epica Spod carp reel model ensures fast reeling of bait rocket or spomb even from the longest distances.



SPOOL	AIR ROTOR	Size	Bearings	Gear ratio	Line capacity mm/m	Weight, g
8000	9+1	4.1: 1	0.35/430 0.40/330 0.50/210	605		
8000 spod	9+1	4.9: 1	0.20/300 0.25/200 0.30/150	610		

TOURNAMENT ELISIUM CARP NEW



Tournament ELISIUM Carp is a top carp reel from Nautilus. 14+1 high-quality bearings ensure flawless operation of the mechanism. The powerful, strong handle and the increased size of the main pair can withstand maximum loads when fishing for any trophy. The super-slow spool feed system, combined with its length, ensures ultra-long casting and flawless line laying. We offer these reels for both recreational and sport fishing.



Size	Bearings	Gear ratio	Line capacity mm/m	Weight, g
8000	14+1	4.9: 1	0.32/330 0.35/270 0.40/220	755

INVENT CARP CONQUEST



Invent Carp conquest - combines all the requirements for modern carp reels. A lightweight long cast spool in combination with the Worm shaft kinematic system ensures high-quality line winding and long-distance casting of equipment. Smooth running, slow spool feed, fast drag and improved traction characteristics put it on par with reels from the world's leading manufacturers.

INVENT PRO



Nautilus Invent Pro is a logical update and development of the program of high-quality carp reels from Nautilus. In this model, we have collected and implemented the entire range of technical characteristics and qualities, and a modern approach to design and layout, plus two classic styles of execution, make it possible to assemble your own perfect set of rods and reels.



Size	Bearings	Gear ratio	Line capacity mm/m	Weight, g
8000	5+1	4.1: 1	0.30/560 0.35/410 0.40/320	640

Size	Bearings	Gear ratio	Line capacity mm/m	Weight, g
B8000	6+1	4.1: 1	0.286/250	610
B10000	6+1	4.1: 1	0.30/450	600
N8000	6+1	4.1: 1	0.286/250	610
N10000	6+1	4.1: 1	0.30/450	600

DISTANZA CARP



Nautilus Distanza Carp is a power reel with a classic design and powerful mechanism. The large diameter of the spool provides the ability to work at distances of 100m+. A fast drag, a reeling speed of more than a meter per revolution and high-quality laying of thin lines allow this reel to be used on both working, spod and marker rods.

TOTAL CARP



Nautilus Total Carp - has all the characteristics of the older models. The increased diameter of the spool allows you to fish at long distances, and the Quick Drag system ensures quick adjustment of the drag after casting.



Size	Bearings	Gear ratio	Line capacity mm/m	Weight, g
Bc9000	6+1	4.6: 1	0.34/370 0.40/270 0.48/190	650
9000	6+1	4.1: 1	0.34/370 0.40/270 0.48/190	590

Size	Bearings	Gear ratio	Line capacity mm/m	Weight, g
7000	4+1	4.1: 1	0.25/300 0.28/240 0.30/205	620
8000	4+1	4.1: 1	0.28/350 0.30/300 0.35/250	600

NAUTILUS

ICE GAME BLACK



Ice Game is a baitcasting reel designed for vertical fishing from ice or a boat. It has a reliable and powerful mechanism, an instant anti-reverse and an adjustable free line release clutch. Supplied with a lightweight aluminum spool. Pairs perfectly with modern, lightweight ice rods. Designed for fishing in ·seriously· negative temperatures, and will become an indispensable assistant when fishing for pike, pike-perch, trout and other predators.

LAND WINTER



Land winter is a continuation of the Land line, created specifically for ice fishing. The bright and visible color is easily visible on ice and snow. The absence of a reverse stop increases the reliability of the overrunning clutch and ensures its reliable operation in severe frosts.



Size	Bearings	Gear ratio	Line capacity mm/m	Weight, g
600		3+1	2.8: 1	0.28/140 0.30/120 185



Size	Bearings	Gear ratio	Line capacity PE/m	Line capacity mm/m	Weight, g
800		6+1	5.4: 1	0.8/150 0.14/200 0.16/180 0.18/150	165



RODS

УДИЛИЩА



TECHNOLOGIES USED



A new lightweight, ergonomic reel seat with special blank cut-outs.



An exceptionally light, compact skeleton reel seat.



A comfortable handle made from high-quality EVA. EVA



Specialist guides for trout and ultralight rods.



LG anti-tangle tip guide



An ergonomic trigger reel seat.



Aluminium oxide inserts withstand use with all braided lines.



The most popular and comfortable reel seat.



A leading global manufacturer of quality rod components.



A popular, comfortable casting reel seat.



A multifunctional reel seat.



A comfortable handle made from high-quality carbon.



Lightweight, wear-resistant silicon carbide guide inserts suitable for all braided lines.



A simple, reliable, classic reel seat.



Titanium guide frames. Lighter and stronger than steel equivalents.



A practical, substantial plastic reel seat with a rear locking nut. DNPS



Cross-laid carbon fibres in the blank provide rod stiffness and strength.



A VSS reel seat combined with a comfortable KSKSS-type locking nut for maximum grip comfort.



High-quality AAA-grade cork from Portugal.



Deep Joint - a deeply bonded spigot for reliability and correct load distribution at the joints. JOINT

NAUTILUS

GRINDER JIG **NEW**



GRS-762M - a versatile rod built around the concept of one spinning rod in the boat. Its all-round length handles twitching hard lures very well while also providing comfortable jig fishing whenever needed.

GRS-802H, GRS-802MH - dedicated fast-action boat rods with strong, powerful blanks. Designed for jig fishing in demanding currents and snags, with maximum control when playing fish.

GRS-842H, GRS-842HH - powerful jig rods for large rivers and deep water. Their action and tactile sensitivity make them indispensable for zander fishing with various retrieves. They perform excellently in strong currents, resist overloading when retrieving large soft plastics and deliver powerful, confident hooksets.

GRS-862MH - an especially popular jig rod among anglers. A classic one-ounce rod for a wide variety of locations and waters. Its casting weight and length suit boat and bank fishing equally well, offering comfortable use on rivers and still-water reservoirs.

High-quality rods are equipped with Fuji fittings and AAA grade cork, which has excellent wear resistance and functionality. Each rod's length, test, action and balance were carefully selected. The fast action allows you to make long casts, and the high level of durability helps you cope with a variety of fishing situations. These characteristics contribute to the maximum implementation of the requirements of modern anglers, making fishing even more interesting and productive



Model	Length, m	Casting weight, g	Action	Weight, g	Transport length, m	Sections	Guides
GRS-802H	2.44	10-38	Fast	149	1,31	2	11
GRS-802MH	2.44	7-28	Fast	145	1,31	2	11
GRS-842H	2.56	10-38	Fast	153	1,36	2	12
GRS-842HH	2.56	14-50	Fast	160	1,36	2	12
GRS-862MH	2.64	7-28	Fast	152	1,38	2	12

IMPERIAL

Recognised as the best product at an international hunting and fishing exhibition in 2021!



IMS-762ML, IMS-792ML - versatile jig rods for reservoirs, with good tactile and visual sensitivity.

IMS-782MH, IMS-802HH, IMS-842H, IMC-842H - powerful rods for large fish and big rivers. Boat fishing, forcefully playing zander out of snags and targeting pike with large 6-7-inch jig lures are their main applications.

IMS-902MH - a long-distance rod for bank fishing, with excellent casting characteristics.

IMS-762M, IMS-842M - two models for boat jig fishing fishing in currents.

IMS-842XXH, IMS-862XH - powerful, moderately stiff rods for trophy fishing, deep holes and high water. For large soft plastics over 7 inches, jerkbaits and spoons.



A line of spinning rods made from 40T graphite in which each rod was designed for specific fishing conditions. The rigid top and powerful butt make them indispensable assistants for jig fishing, and especially when fishing in the current. For anglers who prefer to fish with baitcasting reels, some of the spinning rods are made in a casting design.

Model	Length, m	Casting weight, g	Action	Weight, g	Transport length, m	Sections	Guides
IMS-762M	2.28	8-30	Fast	119	1.20	2	8
IMS-762ML	2.28	4-18	Fast	127	1.20	2	8
IMS-782MH	2.34	14-50	Fast	129	1.21	2	8
IMS-792ML	2.36	5-24	Fast	124	1.22	2	8
IMS-802HH	2.44	25-80	Fast	167	1.28	2	8
IMS-842H	2.55	18-60	Fast	165	1.31	2	8
IMS-842M	2.55	7-28	Fast	135	1.31	2	8
IMS-842XXH	2.55	28-100	Fast	179	1.30	2	8
IMS-862XH	2.64	25-90	Fast	180	1.36	2	8
IMS-902MH	2.74	14-50	Fast	176	1.41	2	9
IMC-842H	2.55	18-60	Fast	186	1.31	2	10
IMC-862XH	2.64	25-90	Fast	199	1.36	2	10





Recognised as the best product at an international hunting and fishing exhibition in 2020!



Minimalism in every detail distinguishes Ecoizm ultralight rods. The blanks use high-modulus TORAY 24T+30T graphite with reduced resin content. Minimal thread and varnish are used in assembly, reducing rod weight and making production more environmentally friendly. EVA pads reduce handle weight. Fitted with SiC guides. VSS+ KSKSS



Model	Length, m	Casting weight, g	Action	Weight, g	Transport length, m	Sections	Guides	
ECS-602LS	1.84	0.1-4	Fast	68	0.95	2	9	
ECS-610ULS	2.08	0.1-3.5	Fast	71	1.08	2	10	
ECS-67LT	2.01	0.1-7	Fast	70	1.04	2	9	
ECS-76LT	2.28	0.1-7	Fast	74	1.18	2	10	

ECO'IZM MJ



An extension of the Eco'izm range of fast, stylish, modern TORAY 40T graphite rods. Designed for light and micro-jig fishing. Two models have solid tips for better control of ultralight lures. The longer models suit a wide range of separated-weight and leader rigs. The materials and technologies deliver the combination of action, weight and sensitivity normally found only in top-level rods.



Model	Length, m	Casting weight, g	Action	Weight, g	Transport length, m	Sections	Guides	
ECMJS-762UL	2.28	0.5-8	Fast	81	1.07	2	9	
ECMJS-792UL	2.36	0.5-10	Fast	87	1.22	2	10	
ECMJS-832L	2.51	0.5-12	Fast	92	1.30	2	11	
ECMJS-S762XUL	2.28	0.5-6	Fast	79	0.83	2	8	
ECMJS-S792UL	2.36	0.5-8	Fast	82	1.22	2	10	

ECO'IZM LT



A series of modern and popular rods for jig fishing and all kinds of spaced equipment. All models have a pronounced Ex-Fast structure. Focused on maximum tactile sensitivity on retrieve and bite.

The spinning rods are made from the most modern materials, equipped with high-quality guides and a Fuji reel seat.

Model	Length, m	Casting weight, g	Action	Weight, g	Transport length, m	Sections	Guides	
ECLT-762L	2.32	3-15	Ex-Fast	95	1.18	2	9	
ECLT-762ML	2.32	5-21	Ex-Fast	104	1.2	2	9	
ECLT-802L	2.44	3-14	Ex-Fast	97	1.25	2	10	
ECLT-832L	2.53	4-16	Ex-Fast	100	1.29	2	10	
ECLT-862L	2.62	4-18	Ex-Fast	103	1.33	2	10	

XEPTOR



Xeptor - seven models of 30T graphite rods designed and engineered for jig fishing. When creating the series, all modern trends and characteristic features of the baits, baits and styles used were taken into account. The chosen format allows the rods to be widely used both in coastal fishing and in fishing from a boat.

Model	Length, m	Casting weight, g	Action	Weight, g	Transport length, m	Sections	Guides	
XPRS-822H	2.5	16-56	Ex-Fast	140	1.35	2	9	
XPRS-822HH	2.5	20-84	Ex-Fast	149	1.35	2	9	
XPRS-822M	2.5	7-28	Ex-Fast	131	1.35	2	9	
XPRS-822MH	2.5	12-42	Ex-Fast	139	1.35	2	9	
XPRS-822MMH	2.5	10-35	Ex-Fast	133	1.35	2	9	
XPRS-942HH	2.87	20-84	Ex-Fast	167	1.5	2	9	
XPRS-942MH	2.87	12-42	Ex-Fast	154	1.5	2	9	

NAUTILUS INVENT



An extensive range in the most popular lengths and casting weights for bank and boat fishing. Modern, high-quality 30T graphite provides excellent sensitivity.

Model	Length, m	Casting weight, g	Action	Weight, g	Transport length, m	Sections	Guides
IVTS-762M	2.32	5-25	Ex-Fast	123	1.21	2	9
IVTS-802ML	2.44	7-21	Ex-Fast	124	1.29	2	9
IVTS-842H	2.56	16-56	Ex-Fast	155	1.32	2	9
IVTS-862HH	2.62	18-70	Ex-Fast	172	1.35	2	9
IVTS-862M	2.62	7-28	Ex-Fast	132	1.35	2	9
IVTS-862MH	2.62	10-35	Ex-Fast	146	1.35	2	9
IVTS-942H	2.87	15-56	Ex-Fast	215	1.52	2	9



SHIKARI



A range of five light and ultralight rods made from 24T+30T graphite. Three have Solid Tips for micro-jig fishing with clear visual indication of the retrieve. The other two have tubular tips and light casting-weight ranges, expanding their applications with hard lures, leader rigs and other lures.

Model	Length, m	Casting weight, g	Action	Weight, g	Transport length, m	Sections	Guides
SKS-732L	2.21	3-14	Ex-Fast	110	1.14	2	8
SKS-762ML	2.28	4-18	Ex-Fast	112	1.18	2	8
SKS-S662UL	1.98	0,5-5	Ex-Fast	92	1.03	2	8
SKS-S732UL	2.21	2-10	Ex-Fast	106	1.14	2	8
SKS-S702UL	2.13	1-8	Ex-Fast	94	1.10	2	8



CROSSBLADE II



Updated Crossblade rods for 2022. This popular range has earned its reputation for sound reasons. The combination of technology, materials, quality components and a broad model range lets every angler choose a suitable rod. More modern 24T graphite and a new reel seat improve ergonomics and sensitivity while retaining an affordable price.



Model	Length, m	Casting weight, g	Action	Weight, g	Transport length, m	Sections	Guides	
CBS-II-702UL	2,14	2-7	Fast	108	1,12	2	8	
CBS-II-672L	2,01	2-10	Fast	107	1,06	2	8	
CBS-II-702ML	2,14	7-21	Fast	116	1,12	2	9	
CBS-II-722M	2,19	5-24	Fast	114	1,15	2	10	
CBS-II-732L	2,21	2-14	Fast	113	1,15	2	10	
CBS-II-742MH	2,24	7-32	Fast	156	1,17	2	10	
CBS-II-762H	2,28	10-39	Fast	130	1,20	2	10	
CBS-II-762M	2,28	5-25	Fast	129	1,20	2	10	
CBS-II-802MH	2,44	7-28	Fast	140	1,28	2	10	

GAMORA



Affordable ultralight and light 24T graphite rods with fast action, powerful butt sections and lightweight blanks. Good sensitivity.



Recognised as the best product at an international hunting and fishing exhibition in 2022!

Model	Length, m	Casting weight, g	Action	Weight, g	Transport length, m	Sections	Guides	
GMS-702UL	2.13	0.5-7	Fast	92	1.10	2	9	
GMS-762UL	2.28	0.5-7	Fast	94	1.18	2	9	
GMS-792L	2.36	0.6-10	Fast	96	1.22	2	9	
GMS-S702UL	2.13	0.5-7	Fast	88	1.10	2	9	

NAUTILUS

SHOCK



An extensive Nautilus spinning rod range combining the essential characteristics of modern rods with a very affordable price. The light, fast blanks are primarily designed for jig fishing and twitching hard lures. A wide choice of models offers lengths and casting weights for all conditions.

Model	Length, m	Casting weight, g	Action	Weight, g	Transport length, m	Sections	Guides
NSHS-702MH	2.1	7-35	Ex-Fast	122	1.12	2	7
NSHS-702ML	2.1	5-25	Ex-Fast	113	1.12	2	7
NSHS-802HH	2.4	15-55	Ex-Fast	168	1.27	2	8
NSHS-802L	2.4	3-15	Ex-Fast	131	1.27	2	8
NSHS-802MH	2.4	7-35	Ex-Fast	147	1.27	2	8
NSHS-802MHH	2.4	10-40	Ex-Fast	156	1.27	2	8
NSHS-802ML	2.4	5-25	Ex-Fast	135	1.27	2	8
NSHS-902HH	2.7	15-55	Ex-Fast	191	1.42	2	9
NSHS-902MH	2.7	7-35	Ex-Fast	175	1.42	2	9
NSHS-902MHH	2.7	10-40	Ex-Fast	179	1.42	2	9
NSHS-902ML	2.7	5-25	Ex-Fast	152	1.42	2	9



GRINDER



GRS-662M, GRC-662M - light, stylish rods designed exclusively for twitching a wide variety of hard lures, including high-resistance and deep-diving models.

GRS-692MH, GRC-692MH - powerful models for the most popular type of pike lure.

GRS-632ML - designed for 50-90 mm hard lures.

GRC-702H, GRS-702H - new for the 2024 season. Available in spinning and casting versions, these are the most powerful twitching models in the range.



A line of high-quality rods, presented in spinning and casting versions. In addition to a clear and light form, they have the full range of modern top-end spinning rods. This includes an excellent AAA grade plug, fittings and reel seat from Fuji. These are the best twitching rods from Nautilus today. In each of them, the length, test, structure, and balance were carefully and carefully selected. All in order to fully realize the requirements of modern fishermen and make fishing even more interesting and productive.

Model	Length, m	Casting weight, g	Action	Weight, g	Transport length, m	Sections	Guides
GRC-662M	1.98	5-21	Fast	116	1,05	2	9
GRC-692MH	2.06	7-28	Fast	124	1,09	2	9
GRC-702H	2.13	10-38	Fast	139	1,12	2	9
GRS-632ML	1.91	3,5-14	Fast	92	1,05	2	9
GRS-662M	1.98	5-21	Fast	96	1,05	2	9
GRS-692MH	2.06	7-28	Fast	106	1,09	2	9
GRS-702H	2.13	10-38	Fast	125	1,15	2	9
GRS-762M	2.32	5-21	Fast	126	1,23	2	10



NAUTILUS

BASSTARD



A 24T+30T graphite rod range developed specifically for working hard lures with twitching retrieves. Distinctly fast action and carefully considered ergonomics. The action provides power in reserve for forcefully playing fish in difficult conditions.

Model	Length, m	Casting weight, g	Action	Weight, g	Transport length, m	Sections	Guides	
BTC-672MH	2.01	7-28	Fast	125	0.83	2	9	
BTC-692H	2.06	10-42	Fast	133	1.07	2	9	
BTC-712XH	2.16	14-56	Fast	145	1.12	2	10	
BTS-672MH	2.01	7-28	Fast	125	0.83	2	8	
BTS-692H	2.06	10-38	Fast	135	1.07	2	9	

PARADOX



A Nautilus spinning rod range made from 24T+30T graphite. Fast, powerful rods with good casting performance and high sensitivity. Fitted with anti-tangle guides and ergonomic split EVA handles. Powerful butt sections and responsive tips.



Twitching series

Model	Length, m	Casting weight, g	Action	Weight, g	Transport length, m	Sections	Guides	
PDS-662MH	1.98	7-32	Fast	118	1.03	2	8	
PDS-662MMH	1.98	5-25	Fast	114	1.03	2	8	
PDS-702MH	2.13	7-32	Fast	127	1.10	2	8	
PDS-702MMH	2.13	5-25	Fast	124	1.15	2	8	

Jig series

Model	Length, m	Casting weight, g	Action	Weight, g	Transport length, m	Sections	Guides	
PDS-742MH	2.24	7-32	Fast	132	1.16	2	8	
PDS-742MMH	2.24	5-25	Fast	135	1.16	2	8	
PDS-802MH	2.4	8-35	Fast	148	1.29	2	8	
PDS-802MMH	2.4	7-28	Fast	143	1.29	2	8	

TROUTEZZA



The purpose of this series of rods is fishing on the current, trout and white-predators of our rivers. Classic stream fishing with all kinds of baits, including hard lures, spoons, jigs, etc. All models are united by a common concept of comfortable casting, sufficient power and rigidity. The spinning rods are assembled on lightweight, reliable blanks made of 40T graphite, with a closed type reel seat. AAA grade cork is used to make the handle.




Model	Length, m	Casting weight, g	Action	Weight, g	Transport length, m	Sections	Guides
NTRS-682UL	2.04	1-6	Fast	86	1.05	2	8
NTRS-702UL	2.14	1.5-8	Fast	84	1.10	2	8
NTRS-732L	2.23	2-12	Fast	92	1.14	2	9
NTRS-762L	2.32	1.5-9	Fast	95	1.20	2	9
NTRS-832L	2.53	3-14	Fast	100	1.30	2	10

ASPER NEW



spinning rods designed specifically for long casts. They are ideal for catching a cautious predator such as asp. Thanks to the modern technology and materials used to create these rods, anglers can enjoy efficient and accurate casting over long distances. Asper provides complete control over the bait, which makes it an excellent choice for those who like to catch such a cautious predator as asp.



Model	Length, m	Casting weight, g	Action	Weight, g	Transport length, m	Sections	Guides
NAPS-942M	2.87	7-28	Fast	145	1.51	2	10
NAPS-1002MH	3.05	0-42	Fast	157	1.61	2	10

NAUTILUS

VERONA



High-class, long-distance light and medium-light rods made from 24T+30T graphite. For distance fishing with light and medium jigs, targeting asp and fishing for perch with separated-weight rigs and long leaders.



Stream series

Model	Length, m	Casting weight, g	Action	Weight, g	Transport length, m	Sections	Guides
VRS-702L	2.13	2-10	Fast	114	1.11	2	8
VRS-732L	2.21	2-12	Fast	111	1.15	2	8
VRS-762L	2.28	3-14	Fast	120	1.18	2	8
VRS-842ML	2.54	3-16	Fast	129	1.15	2	9
VRS-862ML	2.59	4-18	Fast	133	1.33	2	9
VRS-902ML	2.74	4-18	Fast	136	1.4	2	9

Jig series

Model	Length, m	Casting weight, g	Action	Weight, g	Transport length, m	Sections	Guides
VRS-S782L	2.33	0.8-10	Fast	123	1.2	2	7
VRS-S802L	2.44	2-14	Fast	128	1.26	2	9

VERONA ASP



This 24T+30T graphite range is designed for large, wary fish at long distances. ASP derives from the Latin name for asp, Aspius. Modern materials and components provide low weight and superb ergonomics. The combination of length and action enables exceptionally long, accurate casts with compact lures.

Model	Length, m	Casting weight, g	Action	Weight, g	Transport length, m	Sections	Guides
VRAPS-1002MH	3.05	7-35	Fast	206	1.61	2	9
VRASP-862M	2.59	5-25	Fast	147	1.35	2	7
VRASP-902MH	2.74	7-35	Fast	151	1.43	2	9
VRAPS-962M	2.93	5-28	Fast	156	1.53	2	9
VRAPS-962MH	2.93	10-42	Fast	196	1.53	2	9

FUGU



Light, sensitive, fast-action blanks made from 24T+30T+36T graphite, fitted with anti-tangle guides and ergonomic reel seats. Exceptionally versatile: they handle hard lures very well, as well as light jigs and various leader rigs for chub on large rivers.



Model Length	m	Casting weight, g	Action Weight, g	Transport length, m	Sections	Guides	
FGS-722UL	2.18	0.5-8	Fast	82	1.13	2	9
FGS-762L	2.28	0.6-10	Fast	91	1.18	2	9
FGS-782L	2.33	0.6-10	Fast	92	1.20	2	10
FGS-802L	2.44	0.6-12	Fast	93	1.26	2	10

FURYOSA



FURYOSA - a 24T graphite spinning rod range for stream fishing for chub, asp, trout and other species. The models offer effortless long casting and controlled retrieves with high-resistance spoons, spinners and crankbaits. Light, balanced rods for beginners and experienced chub anglers.



Model Length	m	Casting weight, g	Action Weight, g	Transport length, m	Sections	Guides	
FRYS-702UL	2.13	0.5-7	Fast	85	1.12	2	9
FRYS-742UL	2.23	0.5-8	Fast	87	1.16	2	9
FRYS-762L	2.28	0.6-10	Fast	88	1.18	2	9
FRYS-792L	2.36	1-12	Fast	91	1.23	2	9
FRYS-802L	2.44	2-16	Fast	95	1.31	2	9
FRYS-822ML	2.5	3-18	Fast	103	1.34	2	9

NAUTILUS

FORTEZZA



cork
AAA
grade

Z
carbon

SiC
guides

LG
guides



This range primarily targets trout in commercial fisheries with the wide variety of lures used for this species. Each model is designed for specific conditions and tasks. Classic styling, enclosed reel seats, AAA-grade cork and high-modulus TORAY 40T graphite blanks have long distinguished high-class trout rods.

Model	Length, m	Casting weight, g	Action	Weight, g	Transport length, m	Sections	Guides
NFRAA-672SUL	2.04	0.8-5.5	Moderate Fast	60	1.04	2	7
NFRAA-692UL	2.06	1-7	Moderate Fast	61	1.06	2	8
NFRAS-610SUL	2.08	0.4-4	Fast	60	1.08	2	8
NFRAS-642SUL	1.95	0.5-4	Fast	57	0.99	2	7
NFRAS-652SUL	2.00	0.6-5	Fast	58	1.01	2	7

TROUT SPIRIT



cork
AAA
grade

AT
guides

LG
guides



A spinning rod range for trout in commercial fisheries. The 24T graphite blanks have lightweight single-leg guides and classic reel seats with inserts. They handle the smallest hard lures, spinners and spoons excellently and will also appeal to anglers targeting coarse fish with spinning tackle. Slow action enables very delicate mid-water retrieves, while even small fish bring the whole blank into play.

Model	Length, m	Casting weight, g	Action	Weight, g	Transport length, m	Sections	Guides
TSS-602UL	1.83	0.3-4	Regular	88	0.95	2	6
TSS-632UL	1.93	0.5-5	Moderate	85	1.02	2	7
TSS-662UL	1.98	7-35	Regular	92	1.03	2	6
TSS-692UL	2.1	0.5-6	Moderate	90	1.09	2	7

VIOLETO



A range of 24T graphite rods for trout fishing with hard baits and metal lures. Classic styling and action suited to this method deliver memorable experiences on the bite and when playing these beautiful fish.



Model	Length, m	Casting weight, g	Action Weight, g	Transport length, m	Sections	Guides	
VLTS-602SUL	1.83	0.3-3.5	Moderate Fast	77	0.97	2	8
VLTS-632SUL	1.93	0.5-4	Moderate Fast	80	1.00	2	8
VLTS-702SUL	2.14	0.5-5	Moderate Fast	84	1.12	2	8

MICRO BAIT



Balanced, stylish, modern rods with light, fast-action 30T graphite blanks, lightweight guides and reliable reel seats. Excellent with hard lures and metal lures, and particularly suited to soft plastics. Fast action, low weight and a responsive solid tip provide maximum retrieve control and detection of subtle bites. The blank absorbs fish lunges when playing them.



Model	Length, m	Casting weight, g	Action Weight, g	Transport length, m	Sections	Guides	
NMB-S572SUL	1.70	0.5-2.5	Regular	77	0.91	2	8
NMB-S632SUL	1.90	0.8-3.5	Regular	84	1.07	2	8
NMB-S602UL	1.83	0.8-5	Moderate	86	0.96	2	8
NMB-S602SUL	1.83	0.8-3	Moderate	83	0.96	2	8

NAUTILUS

MONSTER PIKE



MTRPC-BB762XH - a new model in the Nautilus Monster Pike range. Modern sonar and fish-finding equipment demand maximum precision and control during the retrieve. This rod is designed for confident control of large lures at medium range in combination with the Panoptix LiveScope System.

MTRPC-662XH - a classic jerkbait rod with carefully selected ergonomics, handle length and balance. Despite its power, it sits comfortably in the hand and works jerkbaits with ease.

MTRPS-862XH, MTRPC-862XH - rods for swimbait fishing. They share the same blank in spinning and casting versions. Designed to cast and retrieve large 20-25 cm lures and provide confident hooksets and control over large fish.

MTRPC-862XXH - a powerful casting rod for the largest lures, 23 cm and above, weighing up to 200 g.

MTRPC-BD862XXXXH - the most powerful rod, designed for Bulldog-type swimbaits. Enables active, aggressive lure action and withstands the lunges of large fish.



A Nautilus rod range for large, bulky lures, available in casting and spinning versions. Reliable, lightweight 24T+30T graphite blanks handle heavy rigs, powerful casts and the largest trophy fish.



Model	Length, m	Casting weight, g	Action	Weight, g	Transport length, m	Sections	Guides	
MTRPC-BB762XH	2.32	60-170	Moderate Fast	207	1.22	2	10	
MTRPC-BD862XXXXH	2.62	90-400	Moderate Fast	245	1.38	2	10	
MTRPC-662XH	2.02	100-150	Fast	187	1.06	2	8	
MTRPC-862XH	2.62	50-150	Fast	210	1.35	2	10	
MTRPC-862XXH	2.62	110-220	Fast	217	1.35	2	10	
MTRPS-862XH	2.62	50-150	Fast	185	1.35	2	9	

EVA
grade

PTS
reel seat

VSS
reel seat

LG
guides

ANT



A series of graphite rods 36T + 40T, specially made for jig and nano jig fishing. Everything here is focused on working with ultra-light baits. The spinning rod itself and the structure of the blank, together with the form factor of the handle, are designed and made in such a way that it allows you to set the desired and interesting game for the bait.

Model Length	m	Casting weight, g	Action Weight, g	Transport length, m	Sections	Guides	
NAT-S582SXUL	1.77	0.2-1.5	Moderate Fast	67	0.89	2	8
NAT-S602SXUL	1.83	0.5-2.5	Moderate Fast	73	0.94	2	8



NIMFA



Light, stylish 30T graphite rods for the modern, popular method of mormyshka fishing. Their main qualities are low weight, ergonomics and sensitivity. The action and construction provide comfortable casting and, above all, feedback from the lightest weights with various techniques and retrieves. An anti-tangle tip guide prevents line wraps when using light weights.

Model Length	m	Casting weight, g	Action Weight, g	Transport length, m	Sections	Guides	
NMFS-582SXUL	1.77	0.3-1.5	Moderate Fast	64	0.92	2	8
NMFS-602XUL	1.83	0.5-2	Moderate Fast	67	0.96	2	8



NAUTILUS

LEGALLY NEW




A range of travel spinning rods, ideal for journeys, long trips and hiking. Indispensable when tackle must be assembled and packed away quickly and compactly on rafting trips, long walks and similar outings.



Model	Length, m	Casting weight, g	Action	Weight, g	Transport length, m	Sections	Guides
NLETS-702ML	2.1	5-20	Ex-Fast	119	0.59	2	5
NLETS-802ML	2.4	5-25	Ex-Fast	128	0.59	2	5
NLETS-802MH	2.4	10-30	Ex-Fast	133	0.59	2	5
NLETS-902H	2.7	10-40	Ex-Fast	157	0.59	2	6

ZENON FEEDER



A feeder rod range with a wide choice of casting weights and lengths for confidence in all conditions, from long-range fishing on large rivers to fast-paced fishing for smaller fish close to the bank. High-modulus graphite blanks provide substantial strength in reserve. All models have anti-tangle KW-type guides with lightweight black frames and classic DPS 16 reel seats.



Model	Length, m	Casting weight, g	Action	Weight, g	Transport length, m	Sections	Guides	
ZF9LQ	2.7	40	Fast	145	1.39	2+3	13	
ZF10LQ	3	50	Fast	162	1.54	2+3	14	
ZF11MLQ	3.3	70	Fast	191	1.69	3+3	15	
ZF12MHQ	3.6	90	Fast	228	1.84	3+3	16	
ZF12HQ	3.6	120	Fast	246	1.84	3+3	16	
ZF12HMQ	3.6	140	Fast	275	1.84	3+3	16	
ZF12HHQ	3.6	150	Fast	279	1.99	3+3	17	
ZF13MHQ	3.9	90	Fast	258	1.84	3+3	16	
ZF13HQ	3.9	120	Fast	281	1.99	3+3	17	
ZF13HMQ	3.9	140	Fast	288	1.99	3+3	17	
ZF13XHQ	3.9	180	Fast	302	1.99	3+3	17	



NAUTILUS

LOST MASTER FEEDER



A range of two-piece feeder rods in 8, 9 and 10 ft lengths. Their length suits overgrown banks, steep unimproved banks and conditions where long casts are unnecessary.



Model	Length, m	Casting weight, g	Action Weight, g	Transport length, m	Sections	Guides	
NLMF12MLQ	3.6	90	Fast	223	1.3	3+3	13
NLMF12MHQ	3.6	120	Fast	258	1.3	3+3	13
NLMF13MHQ	3.9	120	Fast	278	1.4	3+3	13

N/FEED



A mid-range feeder rod series for both recreational and competition fishing. Responsive, English-style blanks provide comfortable fishing in gentle currents or still water. All models deliver effortless, accurate casting and controlled playing of fish with fine hooklengths. Fitted with quality components, anti-tangle guides and three interchangeable quivertips.



YouTube



Model	Length, m	Casting weight, g	Action	Weight, g	Transport length, m	Sections	Guides
NN12MQ	3.6	90	Fast	276	1.27	3+3	15
NN11MHQ	3.3	120	Fast	247	1.17	3+3	14
NN12MHQ	3.6	120	Fast	266	1.27	3+3	15
NN13MHQ	3.9	120	Fast	288	1.37	3+3	15

DIGGER FEEDER



An entry-level feeder rod range whose key qualities are affordability and reliability. The forgiving blanks accommodate many beginners' mistakes and suit varied waters with a wide range of rigs. Despite their low price, the rods feature quality, reliable components, interchangeable quivertips and modern styling.



YouTube



Model	Length, m	Casting weight, g	Action	Weight, g	Transport length, m	Sections	Guides
ND11MHQ	3.3	100	Fast	333	1.19	3+3	12
ND11HQ	3.3	150	Fast	351	1.19	3+3	12
ND12MHQ	3.6	100	Fast	378	1.29	3+3	12
ND12HQ	3.6	150	Fast	395	1.29	3+3	12

S
PIFE
NED
NIER
N
G

NAUTILUS

BUTLER FEEDER



A range of affordable, versatile rods built on the feeder principle, suitable for both boat and bank fishing. SiC ceramic guide inserts accommodate all types of monofilament and braid. Fitted with comfortable reel seats and split EVA handles.



Model	Length, m	Casting weight, g	Action	Weight, g	Transport length, m	Sections	Guides	
BTF53HHQ	1.6	150	Fast	157	0.84	2	9	
BTF6HHQ	1.8	150	Fast	177	0.94	2	10	
BTF7XHQ	2.1	200	Fast	211	1.09	2	10	
BTF8XHQ	2.4	200	Fast	245	1.24	2	10	
BTF9XXQ	2.7	200	Fast	308	1.39	2	11	

MAGGER FEEDER



Powerful rods with versatile applications. The light, strong blanks have undergone numerous reliability and strength tests. Feeder-style construction with sensitive tips. Suitable for bottom fishing, sea fishing, heavy-duty spinning and other methods.



Model	Length, m	Casting weight, g	Action	Weight, g	Transport length, m	Sections	Guides	
NMF6HQ	1.8	150	Fast	161	0.96	2	8	
NMF7HQ	2.1	150	Fast	204	1.11	2	8	
NMF8HHQ	2.4	180	Fast	236	1.27	2	9	
NMF9HHQ	2.7	200	Fast	266	1.42	2	9	

K10



Modern carp rods designed around the demands and characteristics of carp fishing. Built for comfortable long casts and controlled playing of fish. Light, slim blanks fitted with anti-tangle guides and quality reel seats.

Model	Length, m	Test curve, lb	Action	Weight, g	Transport length, m	Sections	Guides	
NK1012352	3.6	3.5	Fast	361	1.87	2	6	
NK1012353	3.6	3.5	Fast	376	1.37	3	6	
NK1013352	3.9	3.5	Fast	398	2	2	6	
NK1013353	3.9	3.5	Fast	433	1.37	3	6	
NK10S1352 SPOD	3.9	5	Fast	394	2	2	6	
NK10S1353 SPOD	3.9	5	Fast	391	1.27	3	6	

T-AIR



A Nautilus carp rod. Its affordable price allows a complete outfit with the brand's reels without compromising quality or reliability. Suits a variety of carp-fishing tasks, including fishing and baiting at long range with appropriate monofilament or braid. Fitted with a size 50 butt guide.

Model	Length, m	Test curve, lb	Action	Weight, g	Transport length, m	Sections	Guides	
NTA12352	3.6	3.5	Fast	327	1.87	2	6	
NTA13352	3.9	3.5	Fast	369	2.02	2	6	
NTAS1352 SPOD	3.9	5	Fast	412	2.02	2	6	

NAUTILUS

ICE KING



Ice King - new for 2023 from Nautilus. An ice rod for artificial-lure fishing for pike, zander, trout, chub and perch. Classic construction with a removable handle. Suitable for various reel types. Available in three configurations:

Set 2. A rod with one tip, available in different stiffnesses, supplied in a tube and soft bag. Set 1. A rod with four interchangeable tips of different stiffnesses, supplied in a tube.

Set 3. Spare tips supplied in individual tubes.



This wide choice of configurations lets each angler select an outfit for specific tasks and goals: a set for particular lures, or a versatile combination for long trips and fishing adventures.

Model	Length, m	Weight, g	Transport length, m	Sections	Guides		
Set 1+4	0.74	145	0.62	5	4		
NIKH	0.74		74		0.62	2	4
NIKXH	0.74		74		0.62	2	4
NIKMH	0.74		73		0.62	2	4
NIKML	0.74		75		0.62	2	4
Tip MH	0.59	12	0.62	1	4		
Tip ML	0.59	11	0.62	1	4		
Tip XH	0.59	13	0.62	1	4		
Tip H	0.59	12	0.62	1	4		



LIRA



Lira is a two-part winter rod for vertical fishing of predatory fish from ice, using any type of bait. Suitable for working with both inertia-free and multiplier winter reels. Equipped with lightweight guides, a high-quality reel seat, and a soft EVA handle. Made in 4 power and stiffness options, for different types of baits and conditions. Supplied with a hard tube for transportation and storage.

There are also additional tips for the Lira rod.

Model	Length, m	Weight, g	Transport length, m	Sections	Guides		
NL65H	0.68	65	0.59	2	3		
NL65M	0.68	63	0.59	2	3		
NL65MH	0.68	62	0.59	2	3		
NL65XH	0.68	66	0.59	2	3		

FREEZ



A proven, simple construction with a modern design offers a fresh appreciation of this model's comfort and reliability. Six rods differ in length, power and blank stiffness. Solid-carbon blanks provide high sensitivity and reliability.

Model	Length, m	Weight, g	Transport length, m	Sections	Sections		
NF55H	0.55	37	0.56	1	2		
NF55M	0.55	36	0.56	1	2		
NF55MH	0.55	33	0.56	1	2		
NF60H	0.6	37	0.61	1	2		
NF60M	0.6	36	0.61	1	2		
NF60MH	0.6	33	0.61	1	2		